


QE  
295  
A4Z  
NH











# CONTENTS AND INDEX

OF THE

## FIRST TWENTY VOLUMES

OF

# THE MEMOIRS OF THE GEOLOGICAL SURVEY OF INDIA,

## 1859 TO 1883.

BY

### W. THEOBALD,

LATE OF THE GEOLOGICAL SURVEY OF INDIA.

NATIONAL MUSEUM  
196481

---

CALCUTTA :

OFFICE OF THE SUPERINTENDENT OF GOVERNMENT PRINTING, INDIA.

1892.



1110877000  
1110877000



INDEX  
 TO  
 THE FIRST TWENTY VOLUMES  
 OF  
 THE MEMOIRS OF THE GEOLOGICAL SURVEY OF INDIA.  
 (I)—AUTHORS.

AUTHOR AND TITLE OF MEMOIR.	Volume.	Page.
BALL, V.—The Ramgurh Coal-field . . . . .	vi	109
"   The Chopé Coal-field . . . . .	viii	347
"   Geology of the Rajmehal Hills . . . . .	xiii	155
"   On the Aurunga and Hutár coal-fields, and the Iron-ores of Palamow and Toree . . . . .	xv	1
"   Geology of the districts of Mánbhúm and Singhbhúm . . . . .	xviii	61
BLANFORD, H. F.—On the Geological Structure of the Nilghiri Hills (Madras) . . . . .	i	211
"   On the Cretaceous and other rocks of the South Arcot and Trichinopoly districts, Madras . . . . .	iv	1
BLANFORD, W. T.—Note on the Laterite of Orissa . . . . .	i	280
"   On the Geological structure and Relations of the Raniganj coal-field, Bengal . . . . .	iii	1
"   On the Geology of the neighbourhood of Lynyan and Runneekote, north-west of Kotree, in Sind . . . . .	vi	1
"   On the Geology of a portion of Cutch . . . . .	vi	17
"   On the Traps and Inter-trappean beds of Western and Central India . . . . .	vi	137
"   On the Geology of the Taptee and Lower Nerbudda valleys . . . . .	vi	163
"   The Geology of Nagpur and its neighbourhood . . . . .	ix	295
"   The Geology of Western Sind . . . . .	xvii	1
"   On the Hills in the neighbourhood of the Sind and Punjab frontier between Quetta and Dera Ghazi Khan . . . . .	xx	105

AUTHOR AND TITLE OF MEMOIR.	Volume.	Page.
BLANFORD, W. T., and CHILD, H.—On the Geological Structure and Physical Features of the province of Orissa . . . . .	i	249
BLANFORD, W. T. and H. F., and THEOBALD, W.—On the Geological Structure and Relations of the Talcheer Coal-field, in the district of Cuttack . . . . .	i	33
DALTON, Capt., and HANNAY, Lieut.-Col.—Note on recent examination of the gold-yielding deposits of Upper Assam, with analyses of gold . . . . .	i	90
FOOTE, R. B.—On the Geology of parts of the Madras and North Arcot districts lying north of the Palar River . . . . .	x	1
" On the Geological Features of the South Mahratta country and adjacent districts . . . . .	xii	1
" On the Geological structure of the Eastern Coast from latitude 15° northward to Masulipatam . . . . .	xvi	1
" On the Geology of the Madura and Tinnevely districts . . . . .	xx	1
FEDDEN, F.—Distribution of the fossils described by Messrs. d'Archiac and Haime in the tertiary and infra-tertiary groups of Sind . . . . .	xvii	157
GRIESEBACH, C. L.—Geology of the Ramkola and Tátapáni coal-fields . . . . .	xv	129
" Geology of the section between the Bolan Pass in Balúchistán and Girishk in South Afghanistan . . . . .	xviii	1
HUGHES, T. W. H.—On the Jherria Coal-field . . . . .	v	227
" On the Bokaro Coal-field . . . . .	vi	39
" The Kurhurbárf Coal-field . . . . .	vii	209
" The Deoghur Coal-fields . . . . .	vii	247
" The Karanpúra Coal-fields . . . . .	vii	285
" The Ítkhúrf Coal-field . . . . .	viii	321
" The Daltonganj Coal-field . . . . .	viii	325
" The Wardha Valley Coal-field . . . . .	xiii	1
KING, W.—On the Cuddapah and Kurnool formations in the Madras Presidency . . . . .	viii	1
" The Gneiss and Transition rocks and other formations of the Nellore portion of the Carnatic . . . . .	xvi	109
" The Upper Gondwánas and other formations of the coastal region of the Godávári district . . . . .	xvi	195
" The Geology of the Pránhita-Godávári valley . . . . .	xviii	151
KING, W., and FOOTE, R. B.—On the Geological Structure of parts of the districts of Salem, Trichinopoly, Tanjore, and South Arcot, Madras . . . . .	iv	223
MALLET, F. R.—On the Gypsum of Lower Spiti, with a list of minerals collected in the Himalayas . . . . .	v	153
" On the Vindhyan series in the North-Western and Central Provinces of India . . . . .	vii	1
" On the Geological Structure of the country near Aden . . . . .	vii	257
" On the Geology of the Dárjling district and the Western Duárs . . . . .	xi	1

AUTHOR AND TITLE OF MEMOIR.	Volume.	Page.
MALLET, F. R.—On the Coal-fields of the Nágá Hills bordering the Lakhimpur and Sibságar districts, Assam . . . . .	xii	269
MEDLICOTT, H. B.—On the Vindhyan rocks and their associates in Bundelcund . . . . .	ii	i
" On the Geological Structure and Relations of the southern portions of the Himalayan ranges between the rivers Ganges and Ravee . . . . .	iii, pt. 2	i
" The Coal of Assam, with geological notes on Assam and the hills to the south of it. . . . .	iv	387
" Geological sketch of the Shillong plateau in north-east Bengal . . . . .	vii	151
" On the Sápúrá Coal-basin . . . . .	x	133
MEDLICOTT, J. G.—On the Geological Structure of the central portion of the Nerbudda district . . . . .	ii	97
MEDLICOTT, J. G., and WILLSON, W. L.—On the Geological Structure and Physical Features of the district of Midnapore. . . . .	i	249
OLDHAM, R. D.—Report of the Geology of parts of Manipur and the Nágá Hills . . . . .	xix	217
OLDHAM, T.—Preliminary notice on the Coal and Iron of Talcheer, in the tributary Mehals of Cuttack . . . . .	i	i
" Note on specimens of Gold and Gold-dust from Shué-gween . . . . .	i	94
" On the Geological Structure of a portion of the Khasi Hills, Bengal . . . . .	i	99
" On the Geological Structure and Physical Features of the district of Bancoorah . . . . .	i	249
" On some Fossil Fish-teeth of the genus <i>Ceratodus</i> from Maledi, south of Nágpur . . . . .	i	295
" On the Geological Relations and probable geological age of the several systems of rocks in Central India and Bengal . . . . .	ii	299
" Additional remarks on the Geological Relations and probable geological age of the rocks in Central India and Bengal . . . . .	iii	197
" Indian Mineral Statistics, I.—Coal . . . . .	iii	215
" Indian Mineral Statistics, I.—Coal . . . . .	vii	131
" The Cachar Earthquake of 10th January, 1869 (edited by R. D. Oldham) . . . . .	xix	i
" The Thermal Springs of India . . . . .	xix	99
STOLICZKA, F.—Geological Sections across the Himalayan Mountains from Wangtu Bridge on the Sutlej to Sungdo on the Indus, with an account of the formations in Spiti . . . . .	v	i
" Summary of Geological Observations during a visit to the provinces—Rupshu, Karnag, South Ladak, Zanskar, Suroo, and Dras of Western Thibet . . . . .	v	337
" Osteological Notes on <i>Oxyglossus pusillus</i> ( <i>Rana pusilla</i> , Owen) from the tertiary frog-beds of Bombay Island . . . . .	vi	387

AUTHOR AND TITLE OF MEMOIR.	Volume.	Page.
THEOBALD, W.—On the Tertiary and Alluvial Deposits of the Central portion of the Nerbudda valley . . . . .	ii	279
" On the Geology of Pegu . . . . .	x	189
WAAGEN, W.—On the Occurrence of <i>Ammonites</i> associated with <i>Ceratites</i> and <i>Goniatites</i> in the carboniferous deposits of the Salt-range . . . . .	ix	351
WAAGEN, W., and WYNNE, A. B.—The Geology of Mount Sirban, in the Upper Punjab . . . . .	ix	331
WYNNE, A. B.—On the Geology of the Island of Bombay . . . . .	v	173
" On the Occurrence of Frog-beds in Bombay Island . . . . .	vi	385
" On the Geology of Kutch . . . . .	ix	1
" The Trans-Indus salt-region in the Kohát district; (with an appendix on the Kohát mines or quarries, by H. Warth) . . . . .	xi	105
" On the Geology of the Salt-Range in the Punjab . . . . .	xiv	1
" On the Trans-Indus extension of the Punjab Salt-Range . . . . .	xvii	211

INDEX  
TO  
THE FIRST TWENTY VOLUMES  
OF  
THE MEMOIRS OF THE GEOLOGICAL SURVEY OF INDIA.  
(2)—GENERAL INDEX.

SUBJECT.	Volume.	Page.
Abrassa, Eastern . . . . .	ix	282.
„ plains of, detailed geology of . . . . .	ix	268.
Abu fossils, described by Buckland . . . . .	x	195.
Actinolite schists . . . . .	xii	54.
Adam's bridge, origin of . . . . .	xx	73.
Aden, geology of country near . . . . .	vii	257.
„ section of crater of . . . . .	vii	260.
„ water-supply of and quality of . . . . .	vii	265.
Adusa, abnormal argillaceous beds near . . . . .	ix	306.
Æolian accumulations . . . . .	xvi	100.
„ formations in South India . . . . .	xx	87.
Aerial denudation . . . . .	xviii	11.
„ formation which threatens Kandahar . . . . .	xviii	10.
Afghanistan, previous writers on geology of . . . . .	xviii	1.
„ Southern, geology of . . . . .	xviii	1.
„ South, minerals found in . . . . .	xviii	55.
Agate mines of Ruttunpoor . . . . .	vi	359.
Agates and ornamental stones . . . . .	vi	381.
Ahmed Shah, tomb of, made of Hippuritic crystalline lime- stone . . . . .	xviii	43.
Aiholi (Iwullee), Jain temples of . . . . .	xii	106.
Akranee and Khandeish, traps of . . . . .	vi	345.
Alápali, coal reported near . . . . .	xviii	186.
Albite granite, order of crystallization of minerals in . . . . .	v	13.
Alicoor hills and area . . . . .	x	72.
Allagiri group . . . . .	xx	16.
'Allah Bund,' reputed elevation of . . . . .	ix	33.
Alleerajpoor and Chota Oodipoor area . . . . .	vi	192.
Alligator, very tall story of an . . . . .	xix	171.
Alluvia on the Konkan . . . . .	xii	243.
Alluvial deposits of the Kristna delta . . . . .	xvi	92.
„ „ „ Punniar, Vellaur and Cauvery . . . . .	iv	20.
„ formations in Madura and Tinnevelly . . . . .	xx	75.
Alluvium of Manipur valley . . . . .	xix	236.



SUBJECT.	Volume.	Page.
Alluvium in Ranigunj field . . . . .	iii	140.
" newer, and surface scils . . . . .	vi	234.
" passage of, into laterite . . . . .	i	69.
Alum of Kutch . . . . .	ix	88.
Alumpoor on Khoondair limestone . . . . .	viii	49.
<i>Alveolina</i> and <i>Nummulites</i> not confined to any particular zone . . . . .	xx	119.
Alveolina-limestone of Kotree, fossils from . . . . .	vi	3.
Amber of Upper Burma . . . . .	xix	226.
Amethysts and Cairngorms from Vellum . . . . .	iv	167.
Aminbodu, elegant Jain temples at . . . . .	xvi	105.
Ammonites associated with <i>Ceratites</i> and <i>Goniatites</i> in the carboniferous deposits of the Salt range . . . . .	ix	351.
<i>Ammonites inflatus</i> Sow., near Mai-i . . . . .	x	311.
" <i>madraspatanus</i> , H. F. Blanford . . . . .	iv	221.
" <i>mantelli</i> , attribution usually erroneous . . . . .	iv	221.
" <i>tamulicus</i> = <i>Am. guadaloupe</i> , Roem. . . . .	iv	221.
Amphicælian crocodile from Sind . . . . .	xvii	35.
Amygdaloidal felstone . . . . .	viii	193.
Andagu-kyouk, note on . . . . .	x	293.
Angoching hills, Upper Tertiaries of . . . . .	xix	225.
Anhydrite . . . . .	xi	150.
Annelide-tracks at Purongo . . . . .	i	52.
<i>Anthracotherium</i> , a Manchar fossil . . . . .	xvii	65.
Apatite in Cuttack . . . . .	i	37.
Apoor hill, quartz of uncertain origin in . . . . .	x	123.
Apothegm touching coal-fields, for 'practical men' . . . . .	x	135.
Arakan Range, Triassic rocks in . . . . .	x	224.
" Yomá (range) . . . . .	x	218.
<i>Archeosaurus</i> from near Bijori . . . . .	x	159.
" in Damuda series . . . . .	vii	297.
Arcot and Trichinopoly, geology of, previous observers of the . . . . .	iv	346.
Arcot, South, and Trichinopoly districts, geology of . . . . .	iv	1 to 9.
Argillaceous tertiary group in Kutch . . . . .	ix	1 to 217.
<i>Arges murchisoni</i> and <i>edwardsi</i> , Khirtar species . . . . .	xvii	78.
Arrialoor and Trichinopoly beds, relations of . . . . .	iv	149.
" fossils, possible mixture of Trichinopoly species . . . . .	iv	146.
" group, conclusions respecting . . . . .	iv	161.
" " described . . . . .	iv	125.
" " detailed geology of . . . . .	iv	131.
" " fauna of . . . . .	iv	127.
Artesian boring at Aden, unpromising . . . . .	vii	265.
Artificial fuel from Sikkim coal . . . . .	xi	60.
Ash and pumiceous breccias in Narbudda . . . . .	vi	346.
" beds (volcanic breccia) in the Jam ghat . . . . .	vi	294.
" conglomerate . . . . .	vi	330.
Assam, alluvium of, remarks on the . . . . .	iv	127.
" auriferous deposits of, by Capt. Dalton and Col. Hannay . . . . .	i	90.
" mineral resources of . . . . .	iv	412.
" mining leases in, considerations on . . . . .	iv	408.
" petroleum in . . . . .	iv	415.
" sub-Himalayan rocks in . . . . .	iv	435.
" the coal of, with geological notes . . . . .	iv	387.
Atgurh-basin defined . . . . .	i	44.
Attock slates . . . . .	ix	333.

Subjct.	Volume.	Page.
Aurunga and Hutar coal-fields . . . . .	xv	1.
Aurunga coal-field . . . . .	xv	109.
" " table of formations in . . . . .	xv	30.
<i>Avicula contorta</i> beds, 'kössen strata' equivalent in Spiti . . . . .	v	67.
Axelused to cut laterite at Cottayam . . . . .	iv	372.
Axial group (Triassic) . . . . .	x	315.
Axials in Manipur . . . . .	xix	223.
Babington, iron ores from Sumbalpoore . . . . .	i	6.
Bacillary structure in quartzites . . . . .	iii (2)	35.
Bagh beds and Lameta beds . . . . .	vi	216.
" " Mahadevas . . . . .	vi	214.
" " junction with trap . . . . .	vi	212.
" " name ill-chosen . . . . .	vi	207.
" " section at Chirakhan . . . . .	vi	210.
Bagh, country round . . . . .	vi	294.
Baghnee R. to Chota Oodipoor, section from . . . . .	vi	307.
Bágrá group, a very variable one . . . . .	x	150.
Bahadur Khel, contorted sections near . . . . .	xi	248.
" " salt aspect of . . . . .	xi	245.
" " quarries described . . . . .	xi	312.
" " to Nundrukki, geology of . . . . .	xi	242.
Baitool area . . . . .	vi	190.
" " and Upper Taptee valley, geology of . . . . .	vi	269.
Bakh ravine, section in . . . . .	xiv	253.
Bakrála Ridge . . . . .	xiv	119.
"Ball" coal . . . . .	iii	66.
Baltimorite, or fibrous serpentine . . . . .	iv	315.
Baluchistan, section of rocks in . . . . .	xvii	41.
Banaganpully, diamond mines of . . . . .	viii	96.
" " group (Kurnools) . . . . .	viii	40, 87.
Bancórah, Midnapore and Orissa, geology of . . . . .	i	249.
Bandar coal-field . . . . .	xiii	145.
Bándá Serai to Jatta, geology of . . . . .	xi	226.
Barákars (Chopé coal-field) . . . . .	viii	350.
Barákar group defined . . . . .	iii	212.
" " in Hutar coal-field . . . . .	xv	95.
" " " Palamow . . . . .	xv	40, 59, 95.
" " " Pranhita-Godaveri area . . . . .	xviii	242.
" " " Rajmahal hills . . . . .	xiii	179.
" " " Sirguja . . . . .	xv	144.
" " " Tawa and Pench valleys . . . . .	xiii	18, 94.
" " " Wardha valley . . . . .	x	162.
Basalt, columnar in Kutch . . . . .	ix	240.
"Basaltic sandstone," origin of the term . . . . .	x	201.
Beas, area of the . . . . .	iii (2)	57.
Beas, conglomerates near the, strange fact about the . . . . .	iii (2)	149, 150.
Beaumont, Elie de, theory of faults, of . . . . .	ii	257.
Beddadanol coal-field . . . . .	xviii	191, 195.
Belaspur fault . . . . .	iii (2)	147.
Beryl, mines in Coimbatore . . . . .	i	229.
'Betta,' Canarese for 'hill' . . . . .	xii	184.
Bezváda gneiss . . . . .	xvi	205, 206.
Bhabeh series . . . . .	v	17.
Bhagalwada and Ramapur Trap . . . . .	xii	60.
Bhagathoro hill, lower Nari fossils from . . . . .	xvii	125.

SUBJECT.	Volume.	Page.
Bhattani hills . . . . .	xvii	299.
Bheemgoda fault, throw of many thousand feet of . . . . .	iii	(4) 123.
Bhima limestone, chipped implements of . . . . .	xii	265.
" series, basal-bed of a conglomerate . . . . .	xii	152.
" " (Karnul) . . . . .	xii	139.
" " = lower Vindhya . . . . .	xii	164.
Bhit and Badhra ranges . . . . .	xvii	108.
Bhoj, geology of neighbourhood of . . . . .	ix	158.
Bhoojia hill . . . . .	ix	168.
Bhopal to Sutwas, geology from . . . . .	vi	239.
Bijawur bottom-rock . . . . .	ii	41.
" breccia, upper and lower, character of . . . . .	ii	43.
" formation . . . . .	ii	6, 35.
" iron rock . . . . .	ii	44.
" series . . . . .	vi	197.
" " , trap contemporaneous with . . . . .	vii	23.
Bijawurs and metamorphics, relation between . . . . .	vi	201.
" at Bagh . . . . .	vi	303.
" in the Western Nurbudda . . . . .	vi	199.
" upper . . . . .	ii	42.
Bijigurh shales . . . . .	vii	27.
" " , black color of, deceptive as to promise of coal . . . . .	vii	121.
Bijori horizon (Damuda) . . . . .	x	159.
Bilgi, Stambha, a remarkable specimen of carving . . . . .	xii	261.
Bisahir, description of . . . . .	v	10.
Bitumen, oozing from hippuritic limestone . . . . .	xviii	59.
Black soil of Vellaur . . . . .	iv	252.
" " Regur . . . . .	vi	235.
Blaini group . . . . .	iii (2)	30.
Blown sands . . . . .	iv	249, 253.
" trees and shrubs which fix . . . . .	xvii	108.
" " . . . . .	x	12.
Bokaro coal-field, Barakar group in . . . . .	vi	48.
" Damuda series in . . . . .	vi	47.
" described . . . . .	vi	39.
" ironstone shale group in . . . . .	vi	97.
" Panchet series in . . . . .	vi	103.
" Raniganj group in . . . . .	vi	100.
" Talchir series in . . . . .	vi	43.
Bolan pass and Girishk, geology of section between . . . . .	xviii	I.
Bollapully outcrops of coal . . . . .	xviii	184.
Bombay, amygdaloidal trap of Parel . . . . .	v	213.
" black basaltic rock of Antop hill . . . . .	v	209.
" blown sand at Mahim, graveyard in . . . . .	v	225.
" Colaba traps . . . . .	v	215.
" columnar basalt in Back Bay (Carter) . . . . .	v	215.
" early writers on the geology of . . . . .	v	173.
" elevation of land at . . . . .	v	204.
" fresh-water beds at Wurlee . . . . .	v	221.
" " " of . . . . .	v	193.
" " " in . . . . .	v	206.
" geology of the island of . . . . .	v	173.
" ghâts, denudation of . . . . .	v	201.
" 'red breccia' of Sion hill . . . . .	v	208.
" rocks of the island of . . . . .	v	188.



GENERAL INDEX.

v

SUBJECT.	Volume.	Page.
Bombay shales at Lovegrove . . . . .	v	220.
„ structure of ground related to geology of . . . . .	v	197.
„ trap rocks, analyses of . . . . .	v	189, 190.
Bone beds . . . . .	xi	238, 252, 270, 285.
Bones in <i>Venus granosa</i> beds . . . . .	ix	249.
Boorhanpur to Chicklee, section from . . . . .	vi	286.
Boulder bed . . . . .	iv	45, 46.
„ beds (Palæozoic) Trans-Indus . . . . .	xvii	274, 286.
„ groups, Trans-Indus . . . . .	xvii	239.
<i>Brachiops laticeps</i> , Owen, from Mángli . . . . .	ix	298.
Brahuik area of Baluchistan . . . . .	xviii	4.
Breaking weight of Bundair sandstones, curious results . . . . .	vii	119.
Breccia probably representing the Kymore conglomerate . . . . .	vii	60.
Breccias common in the Kaládgi series . . . . .	xii	163.
Brick and porcelain clays in Orissa . . . . .	i	279.
Bricks, quality of some, supplied in Pegu . . . . .	x	341.
Brine-spring at Kalra . . . . .	xi	176.
„ „ in Manipur . . . . .	xix	223, 242.
Buchao to Lettera hill, section from . . . . .	ix	135.
Budavada fossils, list of . . . . .	xvi	71.
Budsnr fault passes into an anticlinal axis . . . . .	iii (2)	144.
Bugti hills, Vicary's observations on . . . . .	xx	124, 125.
Building stones of Cutch, list of localities of . . . . .	ix	93.
„ „ „ Sind . . . . .	xvii	194.
„ „ „ Wardha Valley . . . . .	xiii	114.
„ „ „ (Vindhyan) . . . . .	vii	116.
Bundair group . . . . .	vii	80, 87.
„ section of terraces in . . . . .	vii	93.
„ limestone, peculiar form of . . . . .	vii	92.
„ plateau . . . . .	vii	16.
„ sandstone as a building material . . . . .	vii	118, 119, 120.
„ sandstones, shales and limestones . . . . .	vii	27.
„ shales . . . . .	ii	59.
Bundairs, lower . . . . .	vii	80.
„ upper . . . . .	vii	94.
Bundelcund, coal in, note on . . . . .	ii	91.
„ denudation and drainage in . . . . .	ii	87, 88.
„ greisose rocks of . . . . .	vii	22.
„ igneous rocks of . . . . .	ii	75.
„ previous writers on . . . . .	ii	93.
Burdwan paving stone . . . . .	xviii	65.
„ „ a gritty quartzite . . . . .	i	257.
Burrail range described . . . . .	iv	432.
Burwai to Mandoo, section from . . . . .	vi	290.
Buxa series . . . . .	xi	12, 33.
Byrenconda quartzites (Cuddapah) . . . . .	viii	41, 126, 212, 218.
Cachar hills, earthquake of 1869, among the . . . . .	xix	37.
„ earthquake of 1869 . . . . .	xix	1.
„ „ „ centre of disturbance . . . . .	xix	2.
Calcutta, earthquake of 1869, slightly felt at . . . . .	xix	33.
Calderite . . . . .	xvi	24.
„ analysis of . . . . .	xviii	64.
Cambrian aspect of some rocks in Midnapur . . . . .	i	260.

SUBJECT.	Volume.	Page.
<i>Candona</i> . . . . .	xviii	277.
Carboniferous group, Trans-Indus . . . . .	xvii	239.
" limestone in the Salt range . . . . .	xiv	93.
<i>Cardita beaumonti</i> beds and contemporary Dekkan trap . . . . .	xvii	36.
" lowest eocene . . . . .	xx	108.
" upper cretaceous . . . . .	xvii	34.
" with <i>ammonites</i> from the Salt range . . . . .	xvii	36.
Carnatic, Nellore portion of . . . . .	xvi	109.
Cauvery, Delta and alluvium of . . . . .	iv	247.
" Vellaur and Puniar, not forming deltas now . . . . .	iv	19.
Cave temples in Wardha Valley . . . . .	xiii	115.
" with <i>Phyllophina larvata</i> near Kyeantallee . . . . .	x	310.
Celestine (sulphate of strontia) in Sind . . . . .	xvii	196.
Central India and Bengal, geological relations and probable age of rock systems . . . . .	ii	299.
<i>Ceratites carbonarius</i> , Waagen, described . . . . .	ix	355.
<i>Ceratodus</i> . . . . .	xiii	86.
" and <i>Hyperodapedon</i> beds of Maledi of Panchet-age . . . . .	xviii	272.
" 'coprolites' of . . . . .	ix	327.
" <i>hunterianus</i> , <i>virapa</i> and <i>oblongus</i> , described . . . . .	i	308.
" teeth from Maledi . . . . .	i	303.
<i>Chaetetes yak</i> from the Maniring pass . . . . .	iii	202.
Chalcedony in travertine . . . . .	v	21.
Chambal mountain . . . . .	iv	322.
Champaneer, geology of neighbourhood of . . . . .	xiv	131.
" group . . . . .	vi	338.
Chanda district, Barakar group in . . . . .	vi	202.
Chandgurb and Sutwas to Burwai and Simrol ghat . . . . .	xiii	21.
Charcoal and coals, heating powers of . . . . .	vi	249.
Chatik ridge, indurated pipe-clay of . . . . .	i	26.
Cheroperee, section near . . . . .	xix	219.
Cherrapoonjee, earthquake of 1869 scarcely felt at . . . . .	ix	253.
Cherrapoonjee, remarks on section at . . . . .	xix	19.
Cherra, rocks of, divided into three groups . . . . .	iv	417.
Chert flakes and cores at Sawyerpuram . . . . .	iv	420.
Chey-air beds (Cuddapahs) . . . . .	xx	94.
Chey-air group of Cuddapahs . . . . .	viii	41, 126, 168.
Chichali range and pass . . . . .	xvi	144.
Chikiala group (Lower Gondwana) . . . . .	xvii	254, 256.
" sandstone, iron-ores in . . . . .	xviii	267, 290.
Chikkim limestone and shales . . . . .	xviii	197.
Chilka and Pulicat lakes, fauna of . . . . .	v	116, 118.
Chilka lake, described . . . . .	iv	193.
" freer communication formerly with sea . . . . .	i	251.
Chinakuri, neighbourhood and coal-seams of . . . . .	i	275.
Chintalpudi sandstones . . . . .	iii	113.
Chintapilli peninsula, section across . . . . .	xvi	205.
Chipped implements in the Wardha valley . . . . .	viii	297, 307.
" of limestone . . . . .	xviii	299.
Chirakunt, fossils from . . . . .	xii	247.
<i>Chirolepis mi asteri</i> . . . . .	xviii	247.
Chitrana hills . . . . .	xviii	280.
Chopé coal-field . . . . .	ix	280, 289.
	viii	277.
	viii	347.

SUBJECT.	Volume.	Page.
Chor mountain, a remarkable feature . . . . .	iii, (2)	40.
Chota Oodipoor to plains of Baroda, section from . . . . .	vi	323.
"  Tawa river, geology east of . . . . .	vi	245.
"  "  to the Jherkhul, geology of . . . . .	vi	265.
Chouk talon 'near Bassein, a 'plug' of trachyte . . . . .	x	331.
Chromate of iron . . . . .	iv	315.
Chromic iron at Hanle . . . . .	v	167.
"  mineral, new, and analysis of . . . . .	v	167.
Chrysoberyl in Cuttack . . . . .	i	37.
Chrysotile used for rosaries . . . . .	xviii	52.
Churwar and Katrol range, detailed geology of . . . . .	ix	175.
Cleavandite . . . . .	xvi	24.
Climate of Naga Hills formerly more severe . . . . .	xix	231.
Coal at Antargaon . . . . .	xviii	179.
"  "  Bhagánwála . . . . .	xiv	138.
"  "  Bundalla . . . . .	xviii	184.
"  "  Dandot, Salt Range . . . . .	xiv	166.
"  "  Kairgára . . . . .	xviii	180.
"  "  Mach . . . . .	xx	175.
"  "  Pid, Salt Range . . . . .	xiv	162.
"  below Malot, Salt range . . . . .	xiv	177.
"  boring for, in the Godaveri valley . . . . .	xvii	301.
"  fields of Aurunga and Hutar . . . . .	xv	1.
"  "  Bengal, limitations of deposition of . . . . .	vii	334, 335,
"  field of Deoghur . . . . .	vii	247.
"  "  Karanpura . . . . .	vii	285.
"  "  Naga Hills . . . . .	xii	269.
"  "  Bokara . . . . .	vi	39.
"  "  Chope . . . . .	viii	347.
"  "  Daltonganj . . . . .	viii	325.
"  "  Ítkhuri . . . . .	viii	321.
"  "  Jaipur (Assam) . . . . .	iv	397.
"  "  Jherria . . . . .	v	227.
"  "  Kurhurbari . . . . .	vii	209.
"  "  Ramghur . . . . .	vi	109.
"  "  Ramkola and Tatapani . . . . .	xv	129.
"  "  Ranigunj . . . . .	ii	1.
"  "  Talcheer . . . . .	i	33.
"  "  Terap (Assam) . . . . .	iv	397.
"  "  Wardha Valley . . . . .	xiii	1.
"  from Gopalprasad . . . . .	i	8.
"  "  Palamow, assays of . . . . .	xv	111.
"  "  Thalet-mio . . . . .	x	297, 342.
"  in the Rajmahal hills . . . . .	xiii	194, 226.
"  in Sikkim . . . . .	xi	51.
"  mineral statistics . . . . .	iii (1)	Art. II.
"  near Puspali . . . . .	xviii	184.
"  "  Sandrápali . . . . .	xviii	183.
"  of Assam . . . . .	iv	387.
"  "  Bolan and Harnai route . . . . .	xx	229.
"  "  Cherra, supra-nummulitic, description of . . . . .	i	140.
"  "  the Luni Pathan country . . . . .	xx	229.
"  "  Maobelarka, of cretaceous age . . . . .	vii	160.
"  return of, raised from 1858 to 1868 . . . . .	vii	146.
"  seams in Ranigunj field and divisions, by Mr. Williams . . . . .	iii	18, 21.

SUBJECT.	Volume.	Page.
Coal, steady increase in consumption in Bengal . . . . .	vii	134.
„ various analyses of Indian . . . . .	i	198.
„ workable seam at Lairungao . . . . .	vii	163.
„ and iron of Talcheer . . . . .	i	1.
Cobalt and Nickel ores in Afghanistan . . . . .	xviii	46.
'Codali' of Khasi hills, price of . . . . .	i	205.
Collieries, return of, worked in 1867 and 1868 . . . . .	vii	140.
Colossal vertebral bones . . . . .	ii	203.
Columnar trap near Pullasee . . . . .	vi	261.
Concretionary limestone, strange mode of weathering of . . . . .	xii	121.
Conglomerate in gneiss . . . . .	xviii	207.
„ metamorphosed, and unaltered in Champaneer beds . . . . .	vi	340.
Conjeveram gravels . . . . .	x	41.
Copper, correspondence on mines in Sikkim . . . . .	xi	93.
„ in Nellore district . . . . .	viii	270.
„ „ Sikkim . . . . .	xi	69.
„ „ Trichinopoly . . . . .	iv	216.
„ old workings in Cuddapah . . . . .	viii	268.
„ ore in Manipur . . . . .	xix	241.
„ ores in Singhbhum . . . . .	xviii	143.
„ shales in the Salt range . . . . .	xiv	91.
Coral-reef limestone, considerations on origin of . . . . .	iv	70.
Coral-reef, raised at Rameswaram island . . . . .	xx	70.
<i>Carcharodon</i> teeth . . . . .	x	278.
Carnelian mines, description of, by Mr. J. Copeland . . . . .	vi	178.
<i>Corbula lyrata</i> shales, exposure of, in Kurreer island . . . . .	ix	104.
Courtallam, lake west of, perhaps of glacial origin . . . . .	xii	119.
Crater, extinct, near old Kandahar . . . . .	xviii	52.
„ possibly such, near Padwani, and ashbeds . . . . .	vi	331.
Cretaceous and other rocks of the South Arcot and Trichino- poly districts, Madras . . . . .	iv	1.
„ beds and traps, unconformity of . . . . .	vi	325.
„ „ in the Deva, described . . . . .	vi	348.
„ „ „ Shillong plateau . . . . .	vii	153.
„ „ near Quetta . . . . .	xx	140.
„ fossils of Khasia area . . . . .	vii	181.
„ group, Trans-Indus . . . . .	xvii	241.
„ rocks in Spiti . . . . .	v	116.
„ „ the Salt range . . . . .	xiv	103.
„ „ Sind . . . . .	xvii	33.
„ series in Afghanistan . . . . .	xviii	34.
„ „ Khasia region, bottom rock of . . . . .	vii	171.
Crystalline limestone at Pulliam . . . . .	iv	272.
„ rocks in Hazára . . . . .	ix	334.
„ „ Lower Bundelcund . . . . .	ii	49.
„ „ Sirguja . . . . .	xv	131.
Cuddalore group, general remarks on . . . . .	iv	176.
„ (Rajahnundi) sandstones . . . . .	xvi	84.
„ sandstones, chert in . . . . .	iv	258.
„ „ described . . . . .	iv	165.
„ „ and laterite . . . . .	iv	260.
„ „ in Nellore . . . . .	xvi	175.
„ „ in the Godaveri district . . . . .	xvi	248.
„ „ possible correlation of . . . . .	iv	179.

SUBJECT.	Volume.	Page.
Cuddalore series . . . . .	x	59.
Cuddapah and Kurnool formations, Memoir on . . . . .	viii	1.
Cuddapah formation (see Kadapah), age of . . . . .	xvi	145.
"    "    in Nellore . . . . .	xvi	144.
Cullygoody ridge, limestone of, described . . . . .	iv	61.
Cumbum slates (Cuddapahs) . . . . .	viii	41, 227.
"    "    lead worked in . . . . .	viii	235.
Cutch, see Kach . . . . .	ix	1.
Cuttack, Talcheer Coal-field, in district of . . . . .	i	33.
<i>Cyrtoma</i> , beds containing . . . . .	i	119.
Daling series . . . . .	xi	12, 39.
Daltonganj coal-field . . . . .	xv	108.
"    "    described . . . . .	viii	325.
"    "    economic summary of . . . . .	viii	343.
Damercherla (Madavaram) coal-field . . . . .	xviii	192.
Damuda beds assigned to Upper Palæozoic age . . . . .	ii	333.
"    "    flora of . . . . .	ii	326.
"    "    coal basins, areas of each . . . . .	vii	285.
"    "    seams south of the . . . . .	iii	117.
"    "    group described . . . . .	iii	29, 39.
"    "    in Cuttack described . . . . .	i	56.
"    "    in Orissa, remarks on age of . . . . .	i	81.
"    "    Kámthi and Panchet beds in Nágpur . . . . .	ix	325.
"    "    series, metamorphism in the . . . . .	xi	15, 25.
"    "    name proposed . . . . .	ii	310.
"    "    system, flora of and age . . . . .	iii	206.
Damudas, age of, gradually determined . . . . .	iii	199.
"    "    in (Daltonganj coal-field), Barákars . . . . .	viii	332.
"    "    (Deogurh fields) . . . . .	vii	251, 253, 255.
"    "    (Itkhuri coal-field) . . . . .	viii	323.
"    "    Jherria basin . . . . .	v	244.
"    "    (Kurhurbari field) . . . . .	vii	221.
"    "    Sikkim . . . . .	xi	14.
"    "    upper, description of . . . . .	ii	176.
"    "    upper, reptilian remains in . . . . .	ii	312.
Dandot plateau, Salt range . . . . .	xiv	164.
<i>Dapedius</i> . . . . .	xviii	276.
D'Archiac and Haime, distributional table of fossils . . . . .	xvii	198.
Darjiling and the Western Duars, geology of . . . . .	xi	-.
"    "    boundaries of and orographical features . . . . .	xi	4.
"    "    damage slight, done at, by earthquake of 1869 . . . . .	xix	31.
Deccan and Malwa trap . . . . .	vi	219.
"    "    traps, geological age of . . . . .	vi	156.
"    "    traps, not submarine . . . . .	vi	145.
"    "    traps . . . . .	x	178.
"    "    and laterite in Palamow . . . . .	xv	49.
"    "    in Pránhita-Godaveri area . . . . .	xviii	167, 296.
"    "    in Sind . . . . .	xvii	36.
"    "    in South Mahratta country . . . . .	xii	171.
"    "    minerals included in the . . . . .	xii	189.
"    "    slope of, 16 feet per mile . . . . .	xii	173.
"    "    thickness of and duration of period of the . . . . .	vi	147.
Denudation in Narbudda valley enormous . . . . .	ii	264.
"    "    peculiar form of chemical . . . . .	iv	425.
"    "    sub-aerial, conclusive example of . . . . .	vii	109.



SUBJECT.	Volume.	Page.
Denwá group . . . . .	x	153.
Deogurh coal-fields . . . . .	vii	247.
Depression, probably recent in Naga hills . . . . .	xix	232.
Dera, fossils from near . . . . .	xx	206.
Dhaoladhar, section of, at Dhurumsala . . . . .	iii (2)	62.
"    glacial debris of . . . . .	iii (2)	155.
Dhenodur, detailed geology of country west of . . . . .	ix	209.
Diamond beds of Punnah . . . . .	vii	68.
"    of Cuddapah and Kurnool . . . . .	viii	96.
"    crystal of . . . . .	viii	101.
"    diggings in Cuddapah, doubt as to success of . . . . .	viii	88.
"    in the Mahanuddi . . . . .	i	88.
"    localities, list of . . . . .	viii	106.
"    mines at Punna . . . . .	ii	67.
"    at Chennai and Banaganpilly . . . . .	viii	4.
"    description of, by Dr. Heyne . . . . .	viii	97.
"    of Banaganpilly, Capt. Newbold on . . . . .	viii	6.
"    "    Nellore district . . . . .	xvi	113.
"    "    Southern India . . . . .	viii	5.
"    "    Punna described by Adam . . . . .	vii	9.
"    "    Punna described by Franklin . . . . .	vii	7.
"    "    Punna described by Jacquemont . . . . .	vii	9.
"    workings in the Godaveri district . . . . .	xvi	253.
Diamonds in Rewah shales . . . . .	ii	66.
Dibrooghur, damage done at, by earthquake of 1869 . . . . .	xix	27.
<i>Diceroocardium himalayense</i> , a Para-limestone fossil . . . . .	v	62.
<i>Dicynodont</i> or 'Karoo' beds . . . . .	iii	199.
Dihing group . . . . .	xii	298.
Dinajpur, damage slight, done at, by earthquake of 1869 . . . . .	xix	32.
Disai coal-field . . . . .	xii	344.
Disang group . . . . .	xii	286.
Disturbance, palæozoic and mesozoic periods of . . . . .	xviii	171.
Doab traps . . . . .	xii	58.
Dokawana marble . . . . .	ix	91.
Dolomite . . . . .	xii	55, 258.
"    in Sikkim . . . . .	xi	34, 36.
Drainage basins in India, enormous antiquity of . . . . .	xvi	121.
Dras, geology of . . . . .	v	337.
Dubrajpur group . . . . .	xiii	198.
Dudkur infra-trappeans . . . . .	xvi	205.
Dumoh flags, dendritic markings on . . . . .	vii	95.
Dun deposits of Samaguting, Naga hills . . . . .	xix	228.
Earthquake of 1869, Cachar, depth of focus of 30 miles or so . . . . .	xix	68.
"    "    estimated velocity of wave-particle 30 feet . . . . .		
per second . . . . .	xix	79.
"    "    origin of, near the Jaintia hills . . . . .	xix	65.
"    "    results of . . . . .	xix	183.
Earthquakes, catalogue of Indian . . . . .	xix	163.
"    instructions for observing . . . . .	xix	89.
Eastern Coast (Madras), geological structure of . . . . .	xvi	1.
Eastern Ghats, described . . . . .	iv	16.
Economic aspect of the Trans-Indus salt region . . . . .	xi	299.
"    geology, building stones, Himalayas . . . . .	iii (2)	175.
"    "    coal, water . . . . .	iii (2)	180, 181.
"    "    gypsum and salt . . . . .	iii (2)	177.

SUBJECT.	Volume.	Page.
Economic geology, iron, copper, lead, gold, Himalayas . . . . .	iii (2)	178, 179.
"    "    of South Mahratta country . . . . .	xii	256.
"    "    , slates, lime and cement, Himalayas . . . . .	iii (2)	176.
"    "    west of the Kistna . . . . .	xvi	103.
"    resources of Kohat district . . . . .	xi	293, 299.
Elephant teeth, fossil, from north of Dibrugarh . . . . .	iv	436.
Elevation of the coast in Cuttack . . . . .	i	89.
Elevatory ellipsoids and domes . . . . .	viii	129.
Eocene and tertiary beds conformable, Kohat . . . . .	xi	169.
"    formation 5,000 to 9,000 feet in Southern Afghanistan . . . . .	xx	145.
"    group in Afghanistan . . . . .	xviii	21.
"    "    , Trans-Indus . . . . .	xvii	242.
"    rocks resemble the 'Flysch' of the Alps . . . . .	xx	152.
"    sub-division in Southern Sind . . . . .	xx	149.
Epidotic granite of Bancoorah . . . . .	i	258.
"    limestone . . . . .	xvi	24.
Eruptive rocks in Afghanistan and Hungary, similarity of	xviii	49.
<i>Eryon</i> , <i>comp. barrovensis</i> , from Vemávaram . . . . .	xvi	63.
<i>Estheria</i> . . . . .	xviii	277.
"    from Mángli, not specifically identified . . . . .	ix	329.
" <i>mangaliensis</i> , Jones . . . . .	xiii	69.
" <i>minuta</i> from Mangali, error concerning . . . . .	iv	Errata.
" <i>minuta</i> , Goldfuss, a Panchet fossil . . . . .	iii	129, 197.
"    monograph of fossil species of . . . . .	xviii	178.
Extra-peninsular area of India, relation of, to peninsular area . . . . .	xvii	2.
Fabricated reports of coal by the Kazi of Jupla . . . . .	xv	8.
Fault, Koseree, described . . . . .	iii (2)	142.
"    with reversed 'throw' . . . . .	xvii	78.
"    rock in Damudah sandstones in Narbudda . . . . .	ii	248.
"    "    pseudomorphic quartz . . . . .	vi	128.
Faults in Ranigunj field . . . . .	iii	149.
"    in Talchir basin . . . . .	i	68.
Felspar, pale green crystals of, in dykes . . . . .	xviii	208.
Fibrous quartz and fibrous calcite . . . . .	x	307.
Fire-clay of Wardha valley . . . . .	xiii	114.
Fish teeth, fossil, from Maledi ( <i>Maleri</i> ) . . . . .	i	295.
Fleming, Dr., fossils collected by . . . . .	xiv	21.
Flexible sandstone of 'Talchir age' . . . . .	xiii	16.
Flint cores from fissures in limestone . . . . .	xvii	106.
"    , Trichinopoly . . . . .	iv	213.
"    with sponges . . . . .	xvii	103.
Flora, living, of the Cuddalore area . . . . .	iv	267.
Fluor spar in gneiss at Wangtu . . . . .	v	166.
Fluviatile deposits, South Mahratta . . . . .	xii	233.
"    mollusca from lower Siwalik beds . . . . .	xx	233.
Foot-print in Vindhyan sandstone . . . . .	ii	306.
Foraminifera, cretaceous genera of, in Spiti . . . . .	v	117.
Fossil leaves and palms in Cachar . . . . .	iv	434.
"    resin, cretaceous with marine fossils . . . . .	vii	177.
"    wood group . . . . .	x	247.
"    "    in Godaveri gravels . . . . .	xviii	298.
Fossils, distribution of, in Sind . . . . .	xvii	197.
Fresh-water limestone associated with trap . . . . .	ii	78.
Frog beds at Chaopattee, Bombay Island . . . . .	vi	385.
<i>Fusulina</i> band . . . . .	xiv	195, 222.

SUBJECT.	Volume.	Page.
Gabbro in Manipur . . . . .	xix	225.
Gáj group . . . . .	xvii	53, 109, 124.
"    , fossils of the . . . . .	xvii	56.
"    , section of . . . . .	xvii	92.
Galena in Kulu . . . . .	v	165.
<i>Gangamopteris cyclopteroides</i> , Fst.	xiii	178.
Ganges and Ravee, geology of area between	iii (2)	1.
"    canal, Colonel Cautley on . . . . .	iii (2)	184.
"    delta in an area of subsidence . . . . .	x	216, 239.
Ganoid fishes from Kota . . . . .	xviii	176.
Garnets, fine in the copper beds of Nellore . . . . .	xvi	134.
Gawilgurrh range between the Poorna and Taptee . . . . .	vi	275.
Gems and ornamental stones in Trichinopoly . . . . .	iv	217.
Geological papers, Nerbudda and Taptee valleys . . . . .	vi	383.
Ghatprabha falls near Gokak . . . . .	xii	87.
<i>Ghootin</i> and <i>Kunkar</i> , restriction of terms—in Orissa . . . . .	i	267.
Gieumal sandstone . . . . .	v	113.
Giri fault, end of . . . . .	iii (2)	43.
Glacial phenomena near the Salt-Range . . . . .	xiv	116.
Glaciated boulder discovered by Mr. Fedden . . . . .	xiii	16.
"    "    from the Olive group of the Salt-Range . . . . .	xiv	104.
"    rocks of pre-carboniferous age, Trans-Indus . . . . .	xvii	233.
Glauconite sandstones, cretaceous, at Mamluh . . . . .	vii	178.
<i>Glossopteris</i> as an argument of age . . . . .	ii	328.
" <i>browniana</i> , Brogn. of Nagpur, a Damuda species . . . . .	ix	328.
Gneiss, central, N. W. Himalaya . . . . .	v	12.
"    foliation and bedding coincide in Bengal . . . . .	vi	193.
"    "    of, coincident with 'cleavage' in Bijawur . . . . .	vi	195.
"    fragments enclosed in limestone . . . . .	iv	274.
"    in South India, but feebly foliated . . . . .	xvi	125.
"    "    Trichinopoly . . . . .	iv	269.
"    jointing in (Trichinopoly) . . . . .	iv	306.
"    of Bengal . . . . .	xi	44.
"    "    Darjiling . . . . .	xi	44.
"    "    Nellore . . . . .	xvi	126, 128.
"    quarries at Arupputotai . . . . .	xx	20.
"    series in Pránhita-Godaveri area . . . . .	xviii	201.
"    "    west of the Kistna . . . . .	xvi	7.
"    simulating a sedimentary deposit . . . . .	i	41.
"    with pistacite veins . . . . .	xii	45, 257.
Gneiss and Transition rocks, Nellore portion of the Carnatic . . . . .	xvi	109.
Godaveri alluvium . . . . .	xviii	297.
"    district, coastal region, Upper Gondwanas . . . . .	xvi	196.
"    "    , economic geology of . . . . .	xvi	252.
"    "    , local groups in the . . . . .	xvi	205.
"    gorge of . . . . .	xvi	200.
"    gravels, note on . . . . .	vi	232.
Godumullay group of magnetite beds . . . . .	iv	280.
Gold from Assam, assay of . . . . .	i	93.
"    in affluents of the Malprabha . . . . .	xiii	259.
"    "    Kandahar, geological position of 'reefs' . . . . .	xviii	55.
"    "    Ningthi valley . . . . .	xix	241.
"    "    Pegu . . . . .	x	343.
"    "    Southern India . . . . .	xviii	199.
"    note on, from Shuégween . . . . .	i	94.



SUBJECT.	Volume.	Page.
Gold quartz 'reef' at Kandahar . . . . .	xviii	43.
" quartz reported from Thayetpeinyua . . . . .	x	203.
" , yield of, per ton of gravel in Assam . . . . .	i	91.
Golden oolite, Trans-Indus . . . . .	xvii	241.
" " Cutch . . . . .	ix	211.
Gollapilis and Kámthis, unconformity of . . . . .	xvi	217.
Gollapili and Vemávaram fossils . . . . .	xvi	83.
Gollapili sandstones . . . . .	xvi	205, 212.
Gondwana series in Palamow . . . . .	xv	38.
" " Sirguja . . . . .	xv	140.
Gondwanas of the Godavari district (coastal region) . . . . .	xvi	195.
" lower, in the Pranhita-Godavari area . . . . .	xviii	236, 266.
" " " Rajmahal hills . . . . .	xiii	175.
" upper, Godavari district . . . . .	xvi	211.
" " Rajmahal hills . . . . .	xiii	198.
Goniatites, ceratites, and ammonites, association of . . . . .	ix	351, 357.
" <i>primas</i> , Waagen described . . . . .	ix	356.
Goolcheroo quartzites (Cuddapahs) . . . . .	viii	41, 126, 148.
Gooraman-konda, diamond beds . . . . .	viii	103.
Gopalprasad, carbonaceous shale and coal of . . . . .	i	59.
Granite a good building stone . . . . .	xii	256.
" and quartz veins in Trichinopoly . . . . .	iv	335.
" " schist, transition between . . . . .	ii	129.
" " syenite veins, S. Mahratta . . . . .	xii	64.
" dyke intersecting trap . . . . .	vi	333.
" enveloping fragments of gneiss . . . . .	iv	341.
" in Sikkim . . . . .	xi	43.
" of Kyiktyo and Kyougye (big rock) . . . . .	x	328.
" vein between cleavage planes . . . . .	vi	316.
Granitic rocks in Nellore . . . . .	xvi	164.
" " Sirguja . . . . .	xv	135.
Granitoid areas, east coast, Madras . . . . .	xvi	31.
" rock, with twinned crystals of a second felspar . . . . .	i	255.
Graphic granite . . . . .	iv	338.
Graphite in gneiss . . . . .	xvi	25.
" " Sikkim . . . . .	xi	64.
Greenstone of Khasi hills . . . . .	i	156.
" dykes do not affect cretaceous rocks . . . . .	iv	37.
Gumber fault described . . . . .	iii (2)	134.
Gundahari sulphur locality . . . . .	xx	212.
Gundycotta gorge, features of . . . . .	viii	227.
Gungapur beds (Kota group) . . . . .	xviii	269, 279.
Gunoorgurh shales . . . . .	vii	27, 81, 82.
Guzerat, alluvium of . . . . .	vi	233.
Gwalior and Kaládgi rocks, resemblance between . . . . .	xii	138.
" " Cuddapah rocks contrasted . . . . .	viii	290.
" ash beds, associated with Cuddapahs . . . . .	viii	184.
" rocks . . . . .	ii	62.
Gwaliors, Cuddapahs, and Kaladgis . . . . .	xvi	145.
Gypsum and dolomite group, Trans-Indus . . . . .	xvii	239.
" cretaceous of Trichinopoly . . . . .	iv	214.
" in Ootatur group not contemporaneous . . . . .	iv	74.
" " the Bugti hills and Quetta . . . . .	xx	231.
" of Kach . . . . .	ix	90.
" " Kohat . . . . .	xi	140.

SUBJECT.	Volume.	Page.
Gypsum of Lower Spiti . . . . .	v	153
„ upper, and Dolomite group, Trans-Indus . . . . .	xvii	239.
Hæmatite and gneiss, interfoliation of, at Jackatalla . . . . .	i	219.
Hæmatitic schists, S. Mahratta . . . . .	xii	50.
'Hala range,' a mythical feature . . . . .	xvii	25.
<i>Halobia lommelti</i> , Wissm. in Pegu . . . . .	x	224, 323-
Harrand to Mangrotha, geology of road from . . . . .	xx	215.
Hazaribagh, earthquake of 1869 slightly felt at . . . . .	xix	33.
Helmund area, formations in the . . . . .	xviii	9.
Hills of Sind and Punjab frontier . . . . .	xx	105.
Himalaya, Eastern and Western, contrasted . . . . .	iii (2)	7.
„ lower or outer . . . . .	„	5.
„ nummulitic rocks in the higher . . . . .	„	165-
Himalayan area, western limit of lower . . . . .	„	59.
„ „ geology, abstract up to 1860 . . . . .	„	9.
„ „ lower, fossils of, in Tal valley . . . . .	„	69.
„ „ series, characters of . . . . .	„	17, 21.
„ Ranges, between Ganges and Ravee, geology of . . . . .	„	1.
Himalayas, slow upheaval of and successive coast lines . . . . .	„	97.
„ Strachey's views on the structure of the . . . . .	„	160.
Hislop, correlation of Mahadeva beds with Nagpur shales . . . . .	ii	108.
Hippuritic limestone altered by granitic intrusion . . . . .	xviii	8.
„ „ Griesbach's classification of beds above . . . . .	xx	120.
„ „ in Persia and Sind . . . . .	xx	143.
„ „ Rezbanya and the Banat, Hungary . . . . .	xviii	46.
„ „ „ Sind . . . . .	xvii	33, 133-
Hoháru, coal-field discovered by Dr. W. Dunbar, Jour. As. Soc. . . . .	„	1841, 300-
Hoharoo coal-field, title of—altered . . . . .	vii	286.
Hooker, Dr. J. D., discovers Damuda beds near Pankabari . . . . .	xi	2.
Hornblendic schists, S. Mahratta . . . . .	xii	47-
Hoshungabad, geology of . . . . .	vii	97.
Hot springs, depositing tufa . . . . .	xvii	111.
„ of Bangah . . . . .	xviii	174.
„ „ Gondala . . . . .	xviii	173-
„ „ Harár . . . . .	xvii	88.
„ „ Jarum . . . . .	xv	19.
„ „ Kándhi . . . . .	xvii	114.
„ „ Karo Kot . . . . .	xvii	100.
„ „ Laki . . . . .	xvii	126.
„ „ Mugger Pir . . . . .	xvii	182.
„ „ Mutrani . . . . .	xvii	86.
„ „ Namba pung . . . . .	iv	414.
„ „ Onabdyo . . . . .	vi	288.
„ „ Pegu . . . . .	x	352.
„ „ Pir Bingi . . . . .	xvii	113.
„ „ Rath Nath . . . . .	xvii	171.
„ „ Salári . . . . .	xvii	86.
„ „ Salbaldee . . . . .	vi	280.
„ „ Shah Ruhi . . . . .	xvii	113.
„ „ Siah Tank . . . . .	xx	209.
„ „ Sikkim . . . . .	xi	8.
„ „ Sir Obba . . . . .	xi	175.
„ „ Tatapani . . . . .	xv	21.
„ „ Thatha . . . . .	xv	20.

SUBJECT.	Volume.	Page.
Hot springs of the Bakh ravine . . . . .	xiv	24, 48.
"    "    Damuda valley . . . . .	xviii	72.
"    "    Kaha stream . . . . .	xx	217.
"    "    used for irrigation . . . . .	xx	208.
Human bones in alluvium . . . . .	xvi	96.
Hung-dung spur, limestone of the . . . . .	xix	220.
"    "    river gravels on the . . . . .	xix	236.
Hurda and Nimawur area . . . . .	vi	191.
Hutar coal-field . . . . .	xv	91, 110.
<i>Hyopotamus</i> , a Manchar fossil . . . . .	xvii	130.
<i>Hyperodapedon</i> . . . . .	xiii	86.
Ice action suggested to account for Talchir boulders . . . . .	{ xviii i	272, 275. 55, 56.
Idupulapadu, fossils from . . . . .	xvi	75.
Igneous rocks in Afghanistan . . . . .	xviii	47.
"    "    Central India and Bengal . . . . .	ii	47, 75, 129, 199.
"    "    Himalayan region . . . . .	iii (2)	70.
"    "    Manbhūm . . . . .	xviii	100.
"    "    Singhbhūm . . . . .	xviii	136.
Ilmenite, supposed existence of, in Manipur . . . . .	xix	240.
Implement bearing gravels . . . . .	xii	241.
"    "    gravels in Nellore . . . . .	xvi	179.
Implements, chipped, of limestone . . . . .	xii	247.
"    "    in lateritic rocks . . . . .	xvi	86.
Index to Vol. I, Part I . . . . .	i	98.
Indian mineral statistics, coal, 1861 . . . . .	iii (1)	Art. II.
"    "    "    "    1869 . . . . .	vii	131.
Indus valley, sandstones and slates of . . . . .	v	129.
Infra Krol beds . . . . .	iii (2)	29.
Infra trappean beds . . . . .	xii	165.
"    "    or Lameta group in Nagpur . . . . .	ix	301, 315, 330.
"    "    beds, Baitool . . . . .	vi	271.
"    "    "    S. Mahratta . . . . .	x	192.
"    "    "    of Bombay and Central India con- trasted . . . . .	vi	150.
"    "    "    section of, at Belkera . . . . .	vi	282.
"    "    fauna . . . . .	xvi	233.
"    "    fossils . . . . .	ii	210.
"    "    common to the Nagpur and Rajamundry beds . . . . .	xvi	247.
"    "    grits of Kutch . . . . .	ix	56.
"    "    series . . . . .	ii	199.
Intrusive rocks of Pegu . . . . .	x	330.
"    "    east coast, Madras . . . . .	xvi	42.
Ippatam conglomerates of doubtful age . . . . .	xvi	80.
Irang river on Manipur-Cachar road, rocks in the . . . . .	xix	218.
Irrawadi delta is an area of elevation . . . . .	x	216, 239.
"    "    flood, discharge of . . . . .	x	214.
"    "    supposed petrifying power of water of the . . . . .	x	197.
Irlaconda quarzites (Cuddapahs) . . . . .	viii	126.
Iron clay, angular fragments of vein-quartz in . . . . .	xii	219.
"    "    of Belgaum . . . . .	xii	213.
"    "    caves in . . . . .	xii	211.
"    "    of Bidarbhāvi hill . . . . .	xii	220.
"    "    or 'summit bed' of Deccan trap . . . . .	xii	180, 200.



SUBJECT.	Volume.	Page.
Jherriagurh coal-field, note on, by T. Oldham . . . . .	v	333.
Johnson, Mr., coal works at Sonadi . . . . .	ii	111.
Jooria, Wurrar, and Vichia hills, detailed geology of . . . . .	ix	200.
Juggiapett and Bellamkonda, geology between . . . . .	viii	293.
"    "    "    beds near . . . . .	viii	296.
Junmūlmudgōo group, denudation of . . . . .	viii	84.
"    "    "    Kurnools . . . . .	viii	40, 67.
"    "    "    limestones, Mr. Foote's notes on . . . . .	viii	79.
Jurassics in the Salt Range . . . . .	xiv	101.
"    invaded by trap in Kutch . . . . .	ix	55.
"    of Cutch, of Upper Jurassic age . . . . .	ix	95.
"    section of, near Bowlee (Cutch) . . . . .	ix	181.
Jurassic series, Cutch . . . . .	ix	49.
"    Trans-Indus . . . . .	xvii	241.
"    (upper), fauna in Spiti . . . . .	v	114.
Kach (Cutch), alluvium of . . . . .	ix	81.
"    and Siud tertiaries contrasted . . . . .	xvii	65.
"    argillaceous group in . . . . .	ix	78.
"    Captain Grant's fossils from . . . . .	ii	322.
"    earthquakes in . . . . .	ix	29.
"    economic resources of . . . . .	ix	86.
"    fossils . . . . .	vi	34.
"    geological summary of . . . . .	ix	83.
"    geology of . . . . .	ix	1.
"    "    a portion of . . . . .	vi	17.
"    marine beds of lower oolitic age . . . . .	vi	29.
"    meteorology of . . . . .	ix	5.
"    physiography of . . . . .	ix	12, 22.
"    previous writers on . . . . .	ix	6.
"    publications on geology of, list of . . . . .	ix	291.
"    relation of tertiaries in, to traps . . . . .	ix	72.
"    remarks on age of <i>Zamia</i> beds . . . . .	vi	37.
"    results of geological examination of . . . . .	vi	26.
"    rock formations of . . . . .	ix	48.
"    Tertiary beds and Nummulitics of . . . . .	vi	29.
"    traps of . . . . .	vi	30.
"    "    thickness of . . . . .	ix	60.
"    "    within a great volcanic belt . . . . .	ix	62.
Kadapahs (Cuddapahs) and gneiss, association of . . . . .	xviii	211.
Kadapah (Cuddapah) and Kurnool districts, economic re- sources . . . . .	viii	265.
"    "    "    "    earlier writers on . . . . .	viii	3.
"    "    "    "    formations, sections of . . . . .	viii	297.
"    "    "    "    geology of . . . . .	viii	1.
"    "    "    "    irrigation works in, neglected . . . . .	viii	283.
"    "    "    "    physiography of . . . . .	viii	14.
"    "    "    "    rocks, faults, &c., in . . . . .	viii	259.
"    "    "    "    series . . . . .	viii	36.
"    "    "    "    boundary faulted or not, uncertain . . . . .	viii	123.
"    "    "    "    formation . . . . .	viii	124.
"    "    "    "    formation, Pākāl quartzites . . . . .	xviii	209.
"    "    "    "    rocks, east coast . . . . .	xvi	45.
"    "    "    "    section past . . . . .	viii	25.
"    "    "    "    series, sub-divisions of . . . . .	viii	40, 126.



SUBJECT.	Volume.	Page.
Kadapah slates vitiated by "jointing" . . . . .	viii	40.
" sub-division, in Pákál area . . . . .	xviii	217.
" thickness of, in Pranhita-Godaveri area . . . . .	xviii	227.
" trappoids of . . . . .	viii	184.
" traps, contemporaneous . . . . .	viii	191, 195.
" " intrusive . . . . .	viii	198, 200.
Káhun plateau . . . . .	xiv	170.
Kalabagh, neighbourhood of . . . . .	xvii	246.
Kaládgi basin, basal breccia beds of . . . . .	xii	108.
" " fault rock in . . . . .	xii	114.
" breccia, a 'beautiful rock' . . . . .	xii	132.
" group, quartzites in the Konkan . . . . .	xii	94.
" sections, various . . . . .	xii	78.
" series, intrusive rocks in . . . . .	xii	136.
" " lower . . . . .	xii	73.
" " upper . . . . .	xii	129.
Kaládgis, age of . . . . .	xvi	145.
Kálawala pass, fossils from . . . . .	iii (2)	15.
Kalroyemullays described . . . . .	iv	236.
Kolymullays and Pachamullays . . . . .	iv	18.
Káma shale . . . . .	x	273.
Kamah hill, cave in, tenanted by bats . . . . .	x	313.
Kamawaram coal-field . . . . .	xviii	184.
Kámthi group . . . . .	xiii	66, 71, 94.
" " fauna and flora of . . . . .	xiii	69.
" " in Nagpur . . . . .	ix	301, 305.
" sandstone and fossils . . . . .	xvi	208.
Kámthis in the Pranhita-Godaveri area . . . . .	xviii	250.
Kandahar and Helmund area . . . . .	xviii	8.
Kane, R., gorge of . . . . .	ii	89.
Kangra valley, glacial deposits in the . . . . .	iii (2)	20.
Kángu or soapstone . . . . .	x	336, 352.
'Kanna maram,' perhaps the 'mangrove' . . . . .	xx	83.
Kanupati, bulls and 'lingums' at . . . . .	xvi	107.
Kanta, detailed geology of the . . . . .	ix	285.
Kápra beds . . . . .	xviii	231.
Karáchi Collectorate, south-western part of, described . . . . .	xvii	155.
" to Sonmiáni, section from . . . . .	xvii	189.
Karangli hill, galena and trap of . . . . .	xiv	147.
Karáni, section near, commented on . . . . .	x	181.
Káranpura coal-fields . . . . .	vii	285.
" " " Damudas in . . . . .	vii	293, 296, 323.
" " " economic summary of . . . . .	vii	339.
" " " Panchets in . . . . .	vii	293, 318, 330.
" " " Talchirs in . . . . .	vii	293, 294, 323.
'Karez,' an underground canal . . . . .	xviii	12.
Kargil to Kashmir, section from . . . . .	v	348.
Karnag, geology of . . . . .	v	337.
Karnul (Kurnool) and Upper Vindhians . . . . .	viii	287, 291.
" formation, concluding remarks on . . . . .	viii	121.
" series, sub-divisions of . . . . .	viii	39, 42, 52, 73.
'Karuppa-man,' 'Regada' or 'Regur' . . . . .	iv	352.
Kasauli beds, typical, at Dugshai . . . . .	iii (2)	12.
" " flora of . . . . .	iii (2)	85.
Kasow hills, chloritic beds and limestones of . . . . .	xix	219.

SUBJECT.	Volume.	Page.
Katak ( <i>see</i> Cuttack), coal and iron of . . . . .	i	1.
Kateru intertrappeans . . . . .	xvi	241.
Katharigarh and Behwoor traps . . . . .	xii	60.
Kelat, Dr. Cook's section of rocks near . . . . .	xvii	43.
Kerwli, fault near, with over 4,000 feet 'throw' . . . . .	vii	99.
Kerhurrur stream, sub-recent deposits of the . . . . .	xix	230.
Khasi hills, economic geology of . . . . .	i	180.
" elevation of localities in (Appendix) . . . . .	i	209.
" enormous rainfall of . . . . .	i	174.
" excessive floods in the . . . . .	i	176.
" geological structure of a portion of, Memoir on . . . . .	i	99.
" granite . . . . .	vii	203.
" younger than greenstone . . . . .	vii	206.
" greenstone . . . . .	vii	201.
" igneous rocks of . . . . .	i	151.
" intrusive greenstone . . . . .	i	112, 122.
" MacClelland's views of age of, reviewed . . . . .	i	161.
" metamorphic rocks of . . . . .	i	110.
" nummulitic fossils of . . . . .	vii	167.
" physical geography of . . . . .	i	171.
" sedimentary deposits in . . . . .	i	117.
" supra-nummulitic deposits in . . . . .	vii	159.
" survey, collection of fossils of, lost at sea . . . . .	i	179.
" table of elevations in . . . . .	i	209.
Khasor range, unconformity in . . . . .	xvii	234.
Khirthar fossils from Bhagothor hill . . . . .	xvii	127.
" group, fossils of the . . . . .	xvii	48.
" group, laterite at base of . . . . .	xvii	46.
" range . . . . .	xvii	25, 74, 89.
Khoond-air group (Kurnools) . . . . .	viii	39, 42.
Khoond district, Cutch . . . . .	ix	248.
Khyrasol beds, Ranigunj . . . . .	iii	138.
Kistna beds (Cuddapah) . . . . .	viii	41, 126, 250.
" group of Cuddapahs . . . . .	xvi	144.
" orography, south-west of the . . . . .	xvi	3.
" previous writers on the geology of the neighbourhood . . . . .	xvi	6.
" river, course of, described . . . . .	viii	27.
" river to Uddaloor, section from . . . . .	viii	297, 309.
" table of formations south-west of the . . . . .	xvi	4.
Kohat, climatology of . . . . .	xi	121.
" district, geology of . . . . .	xi	105.
" mines or quarries, appendix . . . . .	xi	195.
" previous writers on geology of . . . . .	xi	109.
" physiography of . . . . .	xi	115.
" salt, age of . . . . .	xi	107.
Koilkootla limestones (Kurnools) . . . . .	viii	39, 45.
Kokulam group, Madura and Tinnevely . . . . .	xx	12.
Koler lake . . . . .	xvi	203.
Kolymullays described . . . . .	iv	239.
Köninck, Prof. de, Salt Range fossils determined by . . . . .	xiv	22.
Kopamedza, upper tertiaries of . . . . .	xix	227.
Koranji island . . . . .	x	277.
Kota, fauna and flora . . . . .	xviii	276.
" fossils from . . . . .	xiii	86.
" group, age of, according to Feistmantel . . . . .	xviii	277.

SUBJECT.	Volume.	Page.
Kota, group (Lower Gondwana)	xviii	267, 278.
„ Maleri group, fauna and flora of	xiii	86.
„ sections at	xviii	284.
Kotree, geology north-west of	vi	1.
Krishna, falls of, described by Col. Meadows Taylor	xii	10.
Krol limestone	iii (2)	25.
Kuling series (carboniferous)	v	24, 126.
„ „ fauna of	v	27.
Kunkar, gneiss decomposing into	iv	344.
„ of Burdwan, analysis of	xviii	65.
„ pisolitic and botryoidal	iv	345.
Kunjamullay, magnetic iron ore beds at	iv	379.
Kurhurbari coal-field described	vii	209.
„ coal-field, early observers of	vii	211.
„ „ economic summary of the	vii	240.
„ coal seams enumerated	vii	224 to 238
Kurirosum, contorted beds near	xi	196.
Kurnool ( <i>see</i> Karnul), section through	viii	22.
Kurnools, shore beds in	viii	79.
Kurra Maldi traps	xii	59.
Kurro, section in, and building stones, Western India	vi	325.
Kurruk salt quarries described	xi	311.
Kurumbar rings	iv	369.
„ composed of granite and laterite	x	119.
Kutch (Cutch), geology of	ix	1.
Kuttra shales of Carter	vii	11.
Kymore conglomerate	ii	28.
„ group	vii	49.
„ shales	ii	59.
Labradorite, abnormal form of	xv	36.
Láchi, geology westward of	xi	182.
Lacustrine formations, S. Mahratta	xii	228.
Lahul to Korzog, section of rocks from	v	340.
Lainyan, fossils from	xvii	143.
Laisen, lignite at	xix	227.
Lakes and lake-deposits, N.-W. India	iii (2)	157.
„ in Southern India	xii	119.
Lakhimpur, loud reports heard at, during earthquake of 1869	xix	28.
Laki range	xvii	26.
„ „ and Hyderabad hills, Sind	xvii	122.
Lameta group	ii	196.
„ „ in Wardha valley	xiii	87, 96.
Lamination in limestone due to cleavage not bedding	vi	259.
Landslips in the South Mahratta country	xii	152.
Lapis Lazuli in Badakshan	xviii	60.
Laterite as a building material	iv	372.
„ associated with trap	ii	78.
„ capping, Dulputpore hill	ii	79.
„ contact with underlying rocks	i	272.
„ iron in, diminishes from surface	i	290.
„ metamorphosed and detrital in Nellore	xvi	176.
„ of Bancoorah	i	265.
„ „ ‘Cuddalore’ age probably	iv	168.
„ „ Cutch	ix	68.
„ „ Midnapur	i	269.



SUBJECT.	Volume.	Page.
Laterite of Orissa . . . . .	i	273.
"    "    "    , its origin . . . . .	i	69.
"    "    "    , note on . . . . .	i	280.
"    "    Ranigunj field . . . . .	iii	139.
"    "    the Konkan . . . . .	xii	224.
"    "    the nummulitic group . . . . .	vi	307, 369.
"    "    the Rajmahal hills . . . . .	xiii	222.
"    sedimentary, deceptive appearance of . . . . .	vi	362.
"    Stirling on . . . . .	i	3.
"    tubiform cavities in, origin of . . . . .	iv	262.
"    varieties of, and theories respecting . . . . .	iv	266.
Lateritic deposits, Foote's discrimination of, not fully accepted . . . . .	xvi	175.
"    formations in Madura and Tinnevely . . . . .	xx	45.
"    gravels, chipped implements in . . . . .	x	29, 40.
"    near Vellum . . . . .	iv	260.
Lead mines of Jungamrajpilly and Buswapoor . . . . .	viii	272.
<i>Leelite</i> , Cuddapah rock corresponding to . . . . .	viii	192.
Leh to Padam, section from . . . . .	v	343.
<i>Lepidotus</i> . . . . .	{ xiii	86,
	{ xviii	276.
Liassic beds in Spiti . . . . .	v	66.
Lignite, in Sind . . . . .	xvii	192.
"    mistaken for coal . . . . .	iv	395.
Lilang series . . . . .	v	30, 125.
"    (triassic) fauna in Spiti . . . . .	v	37.
Lime in Manipur . . . . .	xix	241.
"    "    Sikkim . . . . .	xi	83.
Limestone breccia, (Nerjee leeds) . . . . .	viii	76.
"    in Pegu . . . . .	x	343.
"    near Coimbatoor . . . . .	i	246.
"    of Wardha valley . . . . .	xiii	112.
"    outcrops, marked by teak forest . . . . .	xviii	283.
"    (Vindhyan) analysis and economic uses of . . . . .	vii	113.
Lodae and Joorun Range, detailed geology of . . . . .	ix	142.
Long Island, notes on . . . . .	x	292.
Lower Narbudda valley, geology of . . . . .	vi	163.
Lukput . . . . .	ix	33, 35, 36, 39
		44.
Lynyan and Runikot, geology of . . . . .	vi	1.
"    coal (lignite) of and report on . . . . .	vi	4, 13.
<i>Macroglossus spelæus</i> , a frugivorous cave-bat . . . . .	x	313.
Madavaram coal-field . . . . .	xviii	191.
Madhopur jungle, erroneous theory of Fergusson . . . . .	vii	155.
Madras and North Arcot districts, geology of . . . . .	x	1.
"    cretaceous rocks in . . . . .	x	61.
"    Cuddapah and Kurnool series in . . . . .	x	125.
"    different alluvia in . . . . .	x	15.
"    economic geology of . . . . .	x	131.
"    granitic rocks of . . . . .	x	130.
"    lateritic formations of . . . . .	x	27.
"    metamorphic rocks in . . . . .	x	126.
"    previous writers on geography of . . . . .	x	5.
"    Rajmahal series in . . . . .	x	63.
"    river alluvia of . . . . .	x	20.
"    shells from marine alluvium of . . . . .	x	19.

SUBJECT.	Volume.	Page.
Madras sub-aerial formations in . . . . .	x	12.
„ soils of . . . . .	x	14.
„ trappean rocks of . . . . .	x	130.
Madura and Tinnevely, economic geology of . . . . .	xx	98.
„ „ geology of . . . . .	xx	1.
„ „ previous writers on . . . . .	xx	9.
„ „ metamorphic groups in . . . . .	xx	11.
„ Jurassic rocks in . . . . .	xx	33.
<i>Magilus antiquus</i> , silica casts of, from Sandoway . . . . .	x	301.
Magnesian sandstone group of the Salt-range . . . . .	xiv	87.
„ limestone in gypsum . . . . .	xi	280.
„ sinter and botryoidal chalcidony . . . . .	iv	322.
Magnesite, various localities of . . . . .	iv	318.
„ veins . . . . .	iv	312.
„ veins, Dr. Benza on . . . . .	iv	242.
Magnetite and hæmatite in schists of Konijedu . . . . .	xvi	18.
„ and hæmatite in schists of Ongole . . . . .	xvi	17.
„ beds of Gundlakamma . . . . .	xvi	19.
„ beds, various . . . . .	iv	291, 293, 296.
„ in Southern India, localities, of . . . . .	iv	279.
„ Mahadewa,' Damoodah,' Talcheer groups, whence named . . . . .	i	84.
„ faulted boundary at Patroda . . . . .	ii	231.
„ group, fossil exogenous wood in . . . . .	ii	190.
„ „ description of . . . . .	ii	183.
„ „ in Cuttack, described . . . . .	i	64.
„ „ „ Hutar coal-field . . . . .	xv	105.
„ „ „ Palamow . . . . .	xv	45, 87, 105.
„ „ „ Sirguja . . . . .	xv	147.
„ „ name applied . . . . .	ii	315.
„ „ not penetrated by Damuda trap . . . . .	ii	192.
Maidan range . . . . .	xvii	261.
Maii group (Cretaceous) . . . . .	x	311.
Makran group . . . . .	xvii	63.
Makum coal-field . . . . .	xii	304.
Maleri fossils . . . . .	xviii	272.
„ group (Lower Gondwana) . . . . .	xviii	267, 268.
Malot table-land . . . . .	xiv	175.
Malgheen salt quarries described . . . . .	xi	307.
Malprabha, 'cañon' of the . . . . .	xii	99.
Manbhūm and Singhbhūm, geology of . . . . .	xviii	61.
„ faults and pseudomorphic quartz . . . . .	xviii	76, 101.
„ formations in . . . . .	xviii	72.
„ minerals in . . . . .	xviii	102.
„ physiography of . . . . .	xviii	67.
„ previous writers on . . . . .	xviii	62.
Manchar group . . . . .	xvii	57.
„ fossils of the . . . . .	xvii	64.
Mandi and Drang salt . . . . .	xiv	19.
„ salt rocks of and origin of salt . . . . .	iii (4)	60, 61.
„ salt, various opinions respecting age of . . . . .	xi	136.
Manesultanupalem to Perikipadu, section from . . . . .	viii	297, 312.
Manganese in dolomite . . . . .	xii	56, 259.
„ near Chaibasa . . . . .	xviii	147.
„ „ Soorajpur . . . . .	vi	341.
„ of Wardha valley . . . . .	xiii	114.

SUBJECT.	Volume.	Page.
Manganese ore, Wardha valley . . . . .	xiii	76.
Manipur and the Naga Hills, geology of . . . . .	xix	217.
" damage done at, by earthquake of 1869 . . . . .	xix	20.
" copper in . . . . .	xix	241.
" edible earth in . . . . .	xix	241.
" fossil resin . . . . .	xix	226.
" iron of . . . . .	xix	239.
" no moraines in Mizir valley . . . . .	xix	229.
" origin of valley of . . . . .	xix	236.
" salt in . . . . .	xix	242.
" serpentine in . . . . .	xix	224.
" " near Kungal thanna . . . . .	xix	219.
" volcanic ash beds in . . . . .	xix	219, 222.
Maravattoor, plant beds of . . . . .	iv	46.
Marble rocks, Jubbulpore . . . . .	ii	135.
Martaban group . . . . .	x	328.
Marwat and Khasor hills . . . . .	xvii	267.
<i>Mastodon angustidens</i> . . . . .	xx	206.
" jaw from, near Broach . . . . .	vi	181.
Masulipatam, geology of coast from 15° N. Lat. to . . . . .	xvi	1.
Masuri ridge . . . . .	iii (2)	66.
Matapenai or Kurali hill, trap of . . . . .	vi	333.
Mauzulli to Bāndā, geology of . . . . .	xi	205.
Mawbelurkar, section at, of difficult interpretation . . . . .	iv	422.
Mayo mines, Salt range . . . . .	xiv	158.
<i>Megalodon triquetter</i> , a Pará limestone fossil . . . . .	v	62.
Melur group . . . . .	xx	14.
'Menhirs' of sandstone . . . . .	xx	101.
Metamorphic series in Manbhum . . . . .	xviii	88.
" " " Nagpur . . . . .	ix	301.
" " " Rajmahal hills . . . . .	xiii	173.
" " " Singhbhum . . . . .	xviii	130.
" " " the Aurunga coal-field . . . . .	xv	31.
Meteoric falls, in the reign of Aurangzeb . . . . .	xix	169.
Mhuror river, bilophodont mastodon from . . . . .	ix	79.
Mhurr, complicated geology of . . . . .	ix	260.
Micaceous schists, S. Mahratta . . . . .	xii	47.
Midnapore, geology of . . . . .	i	258.
Miloh pass, <i>ammonites</i> reported in the . . . . .	xx	107.
Minet-toung (Black hill) . . . . .	x	231.
Mineral statistics,—Coal, 1869 . . . . .	vii	131.
Miocene series in Afghanistan . . . . .	xviii	18.
Mizir valley, sub-recent deposits of . . . . .	xix	229.
'Mo-jis' thunder-bolt . . . . .	x	359.
Mom Conda, picturesque peak of . . . . .	viii	248.
Moonimuddagoo, diamonds found at . . . . .	viii	103.
Moogetalah and Kunlamuddi, section through . . . . .	viii	297, 306.
" to Oostapully hill, section from . . . . .	viii	297, 298.
Motepolliam, formations near . . . . .	iv	170.
Motur horizon . . . . .	x	161.
Moulmein group . . . . .	x	325.
Mountain formation, theories on . . . . .	iii (2)	Appendix.
Mud volcano a misnomer . . . . .	x	307.
<i>Murchisonite</i> gneiss . . . . .	xvi	206.
Murdan Khél, inverted section near . . . . .	xi	186.

SUBJECT.	Volume.	Page.
Muree beds identified with Dugshai rocks . . . . .	xi	166.
„ Trans-Indus . . . . .	xvii	243.
Muria hill, remarkable features of . . . . .	vii	75.
Muskat, Dr. Castor's section of rocks at . . . . .	vi	10.
Muth, section at . . . . .	v	17, 22.
„ series, fauna of . . . . .	v	22.
Myit-ma-kha river . . . . .	x	211.
Naga hills, axial of the . . . . .	xix	224.
„ coal-fields of . . . . .	xii	269.
„ coal measures in . . . . .	xii	289.
„ cretaceous rocks of . . . . .	xii	285.
„ crystalline rocks in . . . . .	xii	282.
„ former climate of the . . . . .	xix	231.
„ fossils from the . . . . .	xix	227.
„ gold in . . . . .	xii	287.
„ iron of . . . . .	xii	359.
„ petroleum of . . . . .	xii	356.
„ previous writers on the geology of . . . . .	xii	271, 281.
„ physical features of part of the . . . . .	xix	229.
„ probable recent depression of the . . . . .	„	232.
„ supposed 'moraines' of the . . . . .	xix	228.
„ upper tertiaries of the . . . . .	„	227.
Nagamalai group . . . . .	xx	13.
Naggery quartzites (Kadapahs) . . . . .	viii	41, 126, 168, 243.
Nagode, fossils from, doubtful . . . . .	ii	53.
Nagpur and its neighbourhood, geology of . . . . .	ix	295.
„ physiography of neighbourhood of . . . . .	ix	300.
„ previous writers on geology of . . . . .	ix	296.
Nahun and Subathu groups, relations of . . . . .	iii (2)	92.
„ beds unfossiliferous . . . . .	iii (2)	15.
„ group, defined . . . . .	iii (2)	13.
„ „ of the Salt Range . . . . .	xiv	109.
„ Sivalik fossils north of . . . . .	iii (2)	15.
Naini Tal and Almorah . . . . .	iii (2)	69.
Nargund, Political Agent at, murdered in 1858 . . . . .	xii	103.
Nari and Gáj groups, passage between . . . . .	xvii	51.
Nari group . . . . .	xvii	49.
„ section of, at Bibi Nani . . . . .	xx	174.
„ only met with near Bibi Nani, Quetta region . . . . .	xx	158.
„ fossils of . . . . .	xvii	52, 125.
Naul Tirth, legend of . . . . .	xii	99.
<i>Nautilus bouchardianus</i> from Sind . . . . .	xvii	35.
Nellore gneiss and Transition rocks . . . . .	xvi	109.
North-east monsoon in Trichinopoly . . . . .	iv	231.
Nowgong, damage done at, by earthquake of 1869 . . . . .	xix	29.
Nazira coal-field . . . . .	xii	328.
Negrais rocks . . . . .	x	298.
Nellore, physical geography of . . . . .	xvi	115.
„ portion of the Carnatic, geology of . . . . .	xvi	109.
„ previous writers on . . . . .	xvi	114.
Nemalipuram and Coutranepully, section through . . . . .	viii	297, 305.
Nerjee limestones (Kurnools) . . . . .	viii	40, 70.
Neuroptorous insect from the Gondwana series . . . . .	xiii	18.
Newbold, Captan, sketch of his work . . . . .	viii	9.

SUBJECT.	Volume.	Page.
Nga-tha-mu beds . . . . .	x	277.
Ngordai valley, sub-recent deposits of . . . . .	xix	236.
Nilghiri hills, fault systems of . . . . .	i	230.
" character of surface due to marine action . . . . .	i	214.
" economic geology of . . . . .	i	244.
" geological structure of . . . . .	i	211.
" geology of, by various writers . . . . .	i	215.
" gneissose rocks of the . . . . .	i	218.
" minerals of . . . . .	i	219.
" rainfall of, and results . . . . .	i	238.
" limestone in the . . . . .	i	246.
Ningthi, alluvium of the . . . . .	xix	238.
" gold of the . . . . .	xix	241.
Nizam's Dominions, Barakars in . . . . .	xiii	54.
" " 'Kamthis' in . . . . .	xiii	78.
" Territory, coal in the . . . . .	xviii	193.
North Arcot district, geology of . . . . .	x	1.
Nullamullay beds (Cuddapahs) . . . . .	viii	41, 126, 212.
" " " . . . . .	xvi	144.
" " " mines in the . . . . .	viii	272 to 276.
<i>Nummulites garansensis</i> , and <i>sublævigata</i> , 'Nari' species . . . . .	xvii	49.
Nummulitic group, Pegu . . . . .	x	278.
" " of the Salt range . . . . .	xiv	105.
" " section of basal beds at Maldipur . . . . .	vi	357.
" limestone, capricious development of . . . . .	xx	156.
" " of Cherra, fossils of . . . . .	i	134.
" series in Kohat . . . . .	xi	158.
" probable presence of beds of that age in Manipur . . . . .	xix	223.
" series, Khasia region . . . . .	vii	160.
Nummulitics, sections of, Pegu . . . . .	x	286, 290.
Nundial shales (Kurnools) . . . . .	viii	39, 42.
Nundycotecoor, Lydian stone of . . . . .	viii	48.
Nuugshang-khong, beds in the . . . . .	xix	220.
Nunia valley, coal seams and mines in . . . . .	iii	103.
Nurbudda district, geology of . . . . .	ii	97.
" " early observers of geology of . . . . .	ii	101.
" " faults and disturbances in the . . . . .	ii	228.
" to the Khandeish boundary . . . . .	vi	344.
" valley, alluvial deposits of . . . . .	ii	279.
" " coal outcrops of, in . . . . .	ii	268.
" " faulted boundary of Talchirs in . . . . .	ii	237.
" " faults in, age of . . . . .	ii	251.
" " fossil gasteropoda . . . . .	ii	284.
" " fossil vertebrata from . . . . .	ii	289.
" " granitic rocks of, and age . . . . .	ii	120, 125.
" " iron of . . . . .	ii	112.
" " metamorphic rocks of . . . . .	ii	130.
" " Oldham on iron ores of . . . . .	ii	271.
" " palæontological papers on . . . . .	ii	113.
" " physical geography of . . . . .	ii	116.
" " trap rocks in . . . . .	ii	217.
" " Vindhyan boundary in, faulted . . . . .	ii	241.
Nurpur plateau, Salt Range . . . . .	xiv	184.
Nurree salt quarries described . . . . .	xi	310.
<i>Obolus</i> and <i>Siphonotreta</i> beds . . . . .	xiv	87.



SUBJECT.	Volume.	Page.
<i>Obolus</i> in the Salt Range . . . . .	xvii	216, 238.
Old coast lines in Orissa . . . . .	i	276.
Olive group of the Salt Range . . . . .	xiv	104.
" shales, coal in, W. Sind . . . . .	xvii	135.
" " with <i>Cardita beaumonti</i> and amphi- celian vertebræ . . . . .	xvii	133.
Oojein, fabulous account of the destruction of . . . . .	vi	169.
Oolitic fauna in Spiti . . . . .	v	86.
Oopalpád plateau . . . . .	viii	59.
Ootatoor beds and gneiss, junction of . . . . .	iv	42.
" " faulted against gneiss in spots . . . . .	iv	60.
" coral-reef limestone, fossils of . . . . .	iv	55.
" group described . . . . .	iv	52, 73.
" " detailed geology of . . . . .	iv	79.
" " fauna of . . . . .	iv	75.
" " (plant beds) . . . . .	iv	23.
" " summary of conclusions respecting . . . . .	iv	97.
" plant beds, first noticed by Mr. C. Oldham . . . . .	iv	39.
<i>Orbitolites mantelli</i> numerous in sandstone below Thaietmio . . . . .	x	275.
Orissa, economic geology of . . . . .	i	276.
" geological structure and physical features of . . . . .	i	249.
" laterite of . . . . .	i	280.
" Nilgiri hills in, described . . . . .	i	260.
" proper, or Cuttack, Stirling's account of, quoted . . . . .	i	1.
" rise of land in . . . . .	i	276.
" rocks found in . . . . .	i	253.
Ossiferous alluvium in Wardha valley . . . . .	xiii	92.
" deposits, W. India . . . . .	xii	232, 235.
" gravels and older alluvial deposits, S. Mahratta . . . . .	vi	227.
Ouseley, Colonel, discovery of coal by . . . . .	ii	109.
Overlap, no proof of unconformity . . . . .	v	234.
Owk shales (Kurnools) . . . . .	viii	40, 67.
<i>Oxyglossus pusillus</i> , Owen, note on . . . . .	vi	387.
Pachnari group . . . . .	x	155.
" range . . . . .	x	138.
Paipully, section through . . . . .	viii	23.
Pakal tank, chiefest of tanks in Telingana . . . . .	xviii	175.
<i>Palæozamia</i> in Cutch . . . . .	ix	114.
Palamow, economic resources of . . . . .	xv	108, 111.
" ethnography of . . . . .	viii	327.
" ethnology of . . . . .	xv	24.
" fauna and flora of . . . . .	xv	26.
Palghat gap, influence of . . . . .	iv	232.
<i>Palissya conferta</i> . . . . .	xviii	277, 279, 289.
Palnad beds . . . . .	viii	107.
" inversion of limestones . . . . .	viii	258.
" ornamental marbles of . . . . .	viii	282.
Panchet beds, Labyrinthodont and Dicyodont reptiles in . . . . .	iii	198.
" " fauna and flora of . . . . .	vii	332.
" " flora of . . . . .	iii	204.
" group, bone bed in, near Deoli . . . . .	iii	129.
" " described . . . . .	iii	29, 126.
" " in the Aurunga coal-field . . . . .	xv	45, 86.
" " relation of, to other groups . . . . .	iii	132.
" " Sirguja . . . . .	xv	146.
Paneum group (Kurnools) . . . . .	viii	40, 52, 56, 60.

SUBJECT.	Volume.	Page.
Pangadi and Katéru traps . . . . .	xvi	205.
" 'wall' of quartzites . . . . .	viii	65.
Para limestone . . . . .	v	62, 124.
Parang glacier and pass . . . . .	v	123.
<i>Parasuchus</i> . . . . .	xiii	86.
Parkur Nuggur, Syenite, 'elvans' and trap in Patchamullays described . . . . .	ix iv	98. 238.
Patkal, range in Angami . . . . .	xix	227.
Patna, earthquake of 1869 slightly felt at . . . . .	xix	33.
Paupugnee beds (Cuddapahs) . . . . .	viii	41, 126, 148.
" siliceous oolitic beds in . . . . .	viii	161.
" group of Cuddapahs . . . . .	xvi	144.
Peat at Tolum . . . . .	iv	253.
Peddawarum bluff ; Rajmahals, <i>vide</i> Foote, Cuddalore, <i>vide</i> C. A. Oldham . . . . .	xvi	178.
Pegmatite, ornamental, near Poplia . . . . .	ii	123.
Pegu, alluvium in . . . . .	x	227.
" area and population of . . . . .	x	205.
" climatology of . . . . .	x	207.
" economic geology of . . . . .	x	340.
" fossil wood group in . . . . .	x	247.
" " wood of . . . . .	x	251.
" general stratigraphy of . . . . .	x	221.
" geological groups in . . . . .	x	227.
" " map of, by Dr. J. MacClelland . . . . .	x	199.
" group . . . . .	x	268.
" " fauna of . . . . .	x	274.
" laterite in . . . . .	x	244.
" older alluvium in . . . . .	x	232.
" orographical features of . . . . .	x	217.
" previous writers in . . . . .	x	190.
" 'Regur' localities of, in . . . . .	x	231.
" Yomá (range) . . . . .	x	217.
Peninsular area of India, special geological history of . . . . .	xvii	2.
Penn-air river, course of, described . . . . .	viii	31.
Penner valley . . . . .	xvi	121.
Pentacrinites in limestone at Naicolun . . . . .	iv	55.
Perched blocks of diluvial origin in Palamow . . . . .	xv	52.
Perim island, fossils of, discovered by D. Lush . . . . .	vi	180.
" Gulf of Cambay, note on . . . . .	vi	373.
<i>Perisphinctes asterianus</i> (Neocomian) in the Chichali pass . . . . .	xvii	214.
Perkitti Rajah, legend respecting . . . . .	xii	63.
Petroleum in the Makoom river (Assam) . . . . .	iv	414.
" " Pegu . . . . .	x	346.
" " the Salt range . . . . .	xiv	207.
" springs . . . . .	xiv	48.
" " at Namchik (Assam) . . . . .	iv	403.
" " " . . . . .	xvii	270.
<i>Peuce schmidiana</i> , a 'Cuddalore' exogen . . . . .	iv	174.
" " a fossil conifer . . . . .	xx	36.
Peyamalai, the rainless mountain . . . . .	xx	4.
Phonda and Amboli ghats, section of traps at . . . . .	xii	177.
<i>Phylloceras</i> from the Salt Range . . . . .	xiv	95, 221.
<i>Phylloceras oldhami</i> , Waagen, described . . . . .	ix	353.
<i>Physa prinsepitii</i> . . . . .	ii	202, 203.

SUBJECT.	Volume.	Page.
<i>Physa prinsepilii</i> described as <i>Conus</i> and <i>Voluta</i> . . . . .	vi	177.
Pinnacled quartzites (Kurnools) . . . . .	viii	40, 53, 61.
Pipe-clay in Manipur . . . . .	xix	218.
Pisdura, fossils from . . . . .	xiii	88.
Pishin area . . . . .	xviii	6.
Pisolitic limestone described . . . . .	iv	67.
Pistacite (epidote) in gneiss . . . . .	iv	304.
Pitakári, section of Damudas at . . . . .	iii	69.
Piant beds . . . . .	iv	43.
"    "    note on age of, by Mr. T. Oldham . . . . .	iv	49.
"    "    impressions, carbon of, replaced by iron peroxide . . . . .	ix	312.
Plateau quartzites (Kurnools) . . . . .	viii	40, 54.
Platinum from Bhamo . . . . .	x	190, 192.
Pliocene deposits in Afghanistan . . . . .	xviii	15.
Pluvial formations . . . . .	xii	249.
Pondicherry area, anomalies in fauna of . . . . .	iv	24.
"    "    red hills of . . . . .	iv	173.
Poolavaindla or Naggery quartzites . . . . .	viii	168.
Poolumpett slates with limestones (Cuddapahs) . . . . .	viii	41, 126, 203.
Poorna valley, geology of . . . . .	vi	276.
Porcellaneous rocks near Kachao, Manipur . . . . .	xix	219.
Porphyritic trachyte of Kurreer island . . . . .	ix	107.
Poshing, Upper Tertiaries at . . . . .	xix	227.
Post-pliocene and recent beds, Quetta region . . . . .	xx	168.
"    "    deposits in Afghanistan . . . . .	xviii	12.
Post-Sevalik deposits . . . . .	iii (2)	152.
Post-Tertiary and recent beds in the Salt Range . . . . .	xiv	113.
"    "    group, Trans-Indus . . . . .	xvii	245.
Pot-holes . . . . .	xv	34, 187.
'Pot-holes' near Vellum . . . . .	iv	259.
Pot-stone at Yermaputty . . . . .	iv	371.
"    "    quarries at Carrupoor . . . . .	iv	3 6.
Poungloun range . . . . .	x	223.
Powagurh hill, an isolated trap island perhaps . . . . .	vi	343.
Pranhita-Godaveri, earlier writers on area . . . . .	xviii	173.
"    "    economic geology of area of . . . . .	xviii	17.
"    "    formations in area of . . . . .	xviii	164.
"    "    valley, geology of . . . . .	xviii	151.
Pratt, Archdeacon, on the earthquake of 1869 . . . . .	xix	43.
<i>Productus</i> limestone from the Vadur pass, really cretaceous . . . . .	xx	126.
Prome beds . . . . .	x	270.
<i>Pseudo-diadema</i> from Eastern Prome . . . . .	x	275.
Pseudomorphic salt-crystal zone in the Salt Range . . . . .	xiv	98.
Pseudomorphous breccia . . . . .	ii	245.
Puga valley, borax and minerals in the . . . . .	v	131.
Pulicat and Chilka lakes, observations on . . . . .	iv	190.
"    "    lake, origin of the . . . . .	xvi	122.
Pulkoa schists . . . . .	ii	29.
Pullassi, section at . . . . .	ii	139.
Pung, meaning of term . . . . .	iv	414.
Pungadi intertrappean fossils . . . . .	xvi	239.
Punna sandstone of Carter . . . . .	vii	11.
"    "    shales . . . . .	vii	27, 64.
Puppa-doung, volcano of . . . . .	x	250.
Purdon, W., fossils collected by, Salt Range . . . . .	xiv	21.



SUBJECT.	Volume.	Page.
Purple sandstone group, Trans-Indus . . . . .	xvii	239.
"      "      of the Salt Range . . . . .	xiv	84.
"      "      Trans-Indus . . . . .	xvii	239.
Putchum to Chorar, geology from . . . . .	ix	99.
Pyanoor area, Madras . . . . .	x	92.
Quarrying, method of and tool used in, Trichinopoly . . . . .	iv	202.
Quartz crystals, bipyramidal . . . . .	xvii	233.
"      "      in gypsum at Mári on Indus . . . . .	xiv	268.
"      "      reefs and veins, S. Mahratta . . . . .	xii	67, 128.
"      "      rock, conglomeratic . . . . .	xvi	140.
"      "      saccharine . . . . .	xvi	138.
"      "      with pistacite . . . . .	xvi	138, 141.
"      "      schists, ferriferous . . . . .	xvi	142.
"      "      veins in the Nilghiris, minerals in . . . . .	i	234.
Quartzite, a result of 'hydrometamorphism' . . . . .	vii	181.
"      "      cut by trap . . . . .	vii	202.
"      "      monolith, remarkable specimen of, S. Mahratta . . . . .	xii	261.
"      "      jaspery and pistacitic . . . . .	xvi	141, 142.
Quasi-conglomeratic beds in gneiss . . . . .	iv	300.
Quasi-prehistoric bone ornament from Valimukkam . . . . .	xx	82.
Quetta and Bugti hills, physiography of . . . . .	xx	131.
"      "      Dera Ghazi Khan, geological notes between . . . . .	xx	105.
"      "      the Bolan pass, previous writers on . . . . .	xx	109.
"      "      eocene beds near . . . . .	xx	148.
"      "      geology of neighbourhood . . . . .	xx	179.
"      "      list of geological sub-divisions round . . . . .	xx	138.
"      "      to Sibi, geology of road from . . . . .	xx	184.
Quicksands at Shakkurdurra . . . . .	xi	290.
Rachotee, section past . . . . .	viii	25.
Rágavapuram, shales and fossils of . . . . .	xvi	218, 219.
Raichoor Doab . . . . .	viii	78.
Rainfall at Sispara and Darjeeling . . . . .	i	238.
Raised oyster beds . . . . .	xvii	184.
Rajamundry intertrappean beds and traps . . . . .	xvi	231.
"      "      sandstones . . . . .	xvi	205.
Rajmahal beds, flora of . . . . .	ii	318.
"      "      group . . . . .	xiii	209.
"      "      hills, economic resources of the . . . . .	xiii	226.
"      "      "      geology of . . . . .	xiii	155.
"      "      "      list of coal seams in the . . . . .	xiii	230.
"      "      "      pottery clays in the . . . . .	xiii	240.
"      "      "      previous writers on . . . . .	xiii	160.
"      "      "      table of formations in the . . . . .	xiii	171.
"      "      "      plant beds in Nellore . . . . .	xvi	171.
"      "      "      series, name applied . . . . .	ii	313.
Rajpeepla hills, geology of . . . . .	vi	351.
Rameswaram island, traditional origin of . . . . .	xx	73.
Ramgurh coal-field, crystalline rocks in . . . . .	vi	130.
"      "      "      Damuda series in . . . . .	vi	116.
"      "      "      economic summary of . . . . .	vi	129.
"      "      "      faults in . . . . .	vi	127.
"      "      "      iron stone shale, group in . . . . .	vi	124.
"      "      "      Raniganj, group in . . . . .	vi	125.
"      "      "      report on . . . . .	vi	109.
"      "      "      Talchir series in . . . . .	vi	112.

SUBJECT.	Volume.	Page.
Ramkola and Tatapani coal-fields . . . . .	xv	129.
Rammel, Mr., shaft sunk for coal at Lameta Ghât, by . . . . .	ii	111.
Raniganj and neighbourhood . . . . .	iii	89.
" beds in Sirguja . . . . .	xv	145.
" coal, quality of analysis of . . . . .	iii	188.
" coal-field, geological structure and relations of . . . . .	iii	1.
"       " position and extent of . . . . .	iii	24.
"       " recapitulation of rocks of . . . . .	iii	31.
"       " history of . . . . .	iii	2.
" coal mines, history of . . . . .	iii	154.
"       " worked near, in 1777 . . . . .	iii	1.
" collieries, history of . . . . .	iii	154.
"       " list of and statistics . . . . .	iii	179.
"       " methods of working . . . . .	iii	161.
"       " statistical list of . . . . .	iii	179.
" comparative section of coal seams near . . . . .	iii	100.
" 'fault' near . . . . .	iii	95.
" field, economic summary of . . . . .	iii	186.
"       " faults traversing . . . . .	iii	149.
"       " laterite in and alluvium of . . . . .	iii	139.
"       " trap dykes and intrusions . . . . .	iii	141.
" group in the Aurunga field . . . . .	xv	45, 82.
" mines, method of working . . . . .	iii	161.
" neighbourhood and mines of . . . . .	iii	89.
Ranikot beds, fossils of . . . . .	xvii	143, 147.
" group . . . . .	xvii	37.
"       " fossils of . . . . .	xvii	39, 143, 144, 147.
Rapfo ridge, limestone of . . . . .	xix	221.
Ratnagiri plant-beds claim examination . . . . .	xii	222.
Raveralah, section north of . . . . .	viii	297, 308.
Rawundeo hill, section near . . . . .	ii	152.
Recent deposits in Nellore . . . . .	xvi	180.
Red clay zone in Kohat . . . . .	x	155.
Red jasper in Bijawurs . . . . .	vi	317.
Red marl and gypsum, Trans-Indus . . . . .	xvii	238.
"       " rock salt of Salt Range . . . . .	xiv	70.
Red soil, analysis of, by Mr. Tween . . . . .	iv	197.
Regur, analysis and origin of, discussed . . . . .	iv	355.
" in Pegu . . . . .	x	229.
" of Trichinopoly and South Arcot . . . . .	iv	183.
Reports, as of cannon, heard during earthquake of 1869 . . . . .	xix	28.
Resin, fossil used as incense . . . . .	ix	89.
"       " in Manipur . . . . .	xix	226.
Rewahs and Bundairs faulted contact of . . . . .	vii	73.
Rewah group . . . . .	{ ii	55.
" sandstone and shales . . . . .	vii	62.
" shales . . . . .	vii	27.
" table land . . . . .	ii	59.
"       " . . . . .	vii	15.
Rhætic series and fauna . . . . .	v	62, 63.
<i>Rhinoceros deccanensis</i> . . . . .	xii	232.
" <i>sivalensis</i> , a Gâj fossil . . . . .	xvii	57.
"Rice grain" grits . . . . .	xii	147.
Rivers, excavating or depositing, test of . . . . .	x	215, 216.

SUBJECT.	Volume.	Page.
River gorges, in transverse fractures, N. W. Himalaya . . . . .	iii (2)	122.
Road materials in Pegu . . . . .	x	351.
"    "    "    South India . . . . .	iv	204.
Rock salt of Kohat . . . . .	xi	128, 136.
"    "    Persia, age of . . . . .	xi	135.
"    theories of formation of . . . . .	xi	141.
"    systems in Central India and Bengal, age of . . . . .	iii	197.
Rubies "as large as pigeons' eggs" <i>vide</i> M. Bredamajie . . . . .	x	204.
Runn island range, <i>Nerinea</i> beds in . . . . .	ix	99.
"    of Kutch . . . . .	ix	14.
Runneekote, geology of the neighbourhood of . . . . .	vi	1.
Rupshu, geology of . . . . .	v	122.
"    river deposits in . . . . .	v	129.
"    serpentine in . . . . .	v	128.
Rutile in amethyst . . . . .	iv	371.
Salem magnetic iron ore in . . . . .	iv	36.
"    Trichinopoly, Tanjore, and S. Arcot; geological structure of . . . . .	iv	223.
Salt at Durree . . . . .	xi	282.
"    "    Kurar . . . . .	xi	281.
"    "    Kurruk . . . . .	xi	268.
"    "    Nurree . . . . .	xi	272.
"    "    Rindghur . . . . .	xi	257.
"    "    Sirraikhwá . . . . .	xi	273.
"    "    Tuppee drung . . . . .	xi	268.
"    cost of, Trans-Indus . . . . .	xi	314.
"    in Manipur . . . . .	xix	242.
"    "    Oomrawuttee . . . . .	vi	380.
"    "    'licks' in Sikkim . . . . .	xi	91.
"    marl and gypsum, Trans-Indus . . . . .	xvii	238.
"    method of quarrying . . . . .	xi	302.
"    mines and mining . . . . .	xiv	284.
"    Range, climatology . . . . .	xiv	61.
"    "    coal localities in the . . . . .	xiv	295.
"    "    culminant point of, at Son-Sakesar . . . . .	xiv	42, 243.
"    "    eastern plateau . . . . .	xiv	143.
"    "    faults in the . . . . .	xiv	53.
"    "    fossils, wide range of some . . . . .	xiv	26.
"    "    geology of the . . . . .	xiv	1.
"    "    lakes of the . . . . .	xiv	46.
"    "    orography and physical geology of the . . . . .	xiv	50.
"    "    physiography of . . . . .	xiv	36.
"    "    previous writer, on geology of . . . . .	xiv	3.
"    "    revenue from salt . . . . .	xiv	1.
"    "    summary of geology of the . . . . .	xiv	277.
"    "    Trans-Indus, extension of . . . . .	xvii	211.
"    Revenue Trans-Indus . . . . .	xi	315.
"    Trans-Indus and Cis-Indus contrasted . . . . .	xi	115.
Samaguting, "Dun" deposits near . . . . .	xix	228.
Sanag lake . . . . .	xii	119.
Sandstone flags, due to diagonal bedding . . . . .	xii	143.
"    monoliths . . . . .	vii	120.
Sardi salt mines . . . . .	xiv	180.
Satpura coal-basin, a true basin of deposition . . . . .	x	135.
"    "    Barákar group in . . . . .	x	162.

SUBJECT.	Volume.	Page.
Satpura coal-basin, Damuda series in . . . . .	x	159.
"    "    described . . . . .	x	133.
"    "    the Talcheer group in . . . . .	x	163.
Sattavedu hills and area, Madras . . . . .	x	66.
Saya, geology of . . . . .	xi	237.
Schlagintweit, Messrs. R. and A., erroneous conclusions of . . . . .	ii	108.
"    "    "    statements of the . . . . .	vi	161.
"    "    Dr. A. Von, fossils recorded by . . . . .	viii	11.
Schistose areas west of the Kistna . . . . .	xvi	11.
"    "    section between Bolan pass and Girishk . . . . .	xviii	1.
Schorl rock . . . . .	iv	338.
Sedimentary beds at base of Trap series . . . . .	vi	327, 328
Seismic map of India . . . . .	xix	163.
Semri group, its divisions . . . . .	ii	6.
"    "    "    identical with Sub-Kymore . . . . .	vii	27.
Serpentine, apple-green . . . . .	iv	323.
"    "    granular in limestone . . . . .	vi	321.
"    "    in Manipur . . . . .	xix	219.
"    "    "    Orissa . . . . .	i	261, 278.
"    "    "    Pegu . . . . .	x	331.
Shah-drung, remarkable section at . . . . .	xi	188.
Shekh Budin, fossils from near . . . . .	xvii	294.
"    "    "    Gund . . . . .	xvii	282.
Shevaroyis and other groups of hills . . . . .	iv	18, 235.
Shillong plateau, cretaceous beds in the . . . . .	vii	153.
"    "    "    geological sketch of . . . . .	vii	151.
"    "    "    gneiss . . . . .	vii	196.
"    "    "    series . . . . .	vii	197.
<i>Shorea robusta</i> , charcoal of above used in Cuttack . . . . .	i	14.
Shuë-Gween, gold and gold-dust from . . . . .	i	94.
Shuwuki, inversion of beds near . . . . .	xi	196.
Sibi to Jacobabad, geology of road from . . . . .	xx	199.
Sikandarmalai group . . . . .	xx	12.
Sikkim, early writers on geology of . . . . .	xi	2.
Silchar, damage done at, by earthquake of 1869 . . . . .	xix	4.
Silewada, section at . . . . .	ix	310.
Silhet trap . . . . .	vii	183.
Silicified wood in Manohar beds, exogenous and endogenous . . . . .	xvii	142.
Silurian beds in the Salt range . . . . .	xiv	86.
Simla, geology of, and slate : . . . . .	iii (2)	33, 34.
Sind and Punjab frontier, between Quetta and Dera Ghazi Khan . . . . .	xx	105.
"    "    "    earlier writers on . . . . .	xvii	5.
"    "    "    economic geology of . . . . .	xvii	192.
"    "    "    foraminifera . . . . .	xvii	9.
"    "    "    general conclusions on geology of . . . . .	vi	12.
"    "    "    geological formations of . . . . .	xvii	32.
"    "    "    hills and ranges of . . . . .	xvii	27.
"    "    "    rivers of . . . . .	xvii	28.
"    "    "    sequence of formations in . . . . .	xx	107.
"    "    "    tertiary and infra-tertiary groups of, fossils of . . . . .	xvii	197.
"    "    "    Western, geology of . . . . .	xvii	1.
Singareni coal-field . . . . .	xviii	186.
"    "    "    conglomerates and quartzites (Cuddapahs) . . . . .	xviii	213.

SUBJECT.	Volume.	Page.
Sigarana country, east of . . . . .	iii	78.
Singhbhum, economic resources of . . . . .	xviii	140.
"    previous writers on . . . . .	xviii	114.
Singiputty group of magnetite beds . . . . .	iv	280, 288.
Sirban mount, cretaceous beds of . . . . .	ix	341.
"    "    geology of . . . . .	ix	331.
"    "    infra-triassic beds of . . . . .	ix	335.
"    "    jurassic beds of . . . . .	ix	340.
"    " <i>Megalodon</i> and <i>Dicerocardium</i> beds of . . . . .	ix	337.
"    "    section contrasted with section of Spiti rocks . . . . .	ix	349.
Sirboo shales . . . . .	vii	27, 84.
Sita riva, section of Damuda rocks on . . . . .	ii	169.
Sitsyahu shales . . . . .	x	269.
Sivalik beds and alluvium, relations of . . . . .	iii (2).	14, 19.
"    and eocene, conformity of . . . . .	xx	164, 205, 207 217.
"    fossil from Lehri and Jalalpur . . . . .	xiv	18.
"    group, character of and thickness of . . . . .	iii (2).	14, 17.
"    "    defined . . . . .	iii (2)	14.
"    "    of the Salt range . . . . .	xiv	110.
"    "    Trans-Indus . . . . .	xvii	243.
"    "    unconformable overlap on Nahun beds . . . . .	iii (2)	14.
"    (Manchar) of the Suleman hills . . . . .	xx	160.
"    mollusca from near Dera . . . . .	xx	162.
Slag, analysis of, from Birbhumi . . . . .	i	18.
Slate in Sikkim . . . . .	xi	90.
Smelting furnaces of Sāwant Wāri . . . . .	xii	267.
Soils and superficial deposits of Trichinopoly, South Arcot and Tanjore . . . . .	iv	180.
"    and sub-aerial deposits west of the Kistna . . . . .	xvi	97.
"    in Madura and Tinnevely . . . . .	xx	83.
"    note on, Chapter xii, by Mr. T. Oldham . . . . .	iv	220.
"    S. Mahratta . . . . .	xii	250.
Son plateau, Salt Range . . . . .	xiv	201.
Sonbudra R, hills in catchment basin of . . . . .	x	138.
Sorapur and Kiadigiri traps . . . . .	xii	59.
South Arcot, lime-kilns used in . . . . .	iv	207.
"    "    and Trichinopoly districts, cretaceous rocks of . . . . .	iv	1.
Southern India, crystalline rocks of . . . . .	iv	29.
"    "    granitic rocks of . . . . .	iv	30.
"    "    physical conditions of, in cretaceous times . . . . .	iv	28.
South Ladak, geology of . . . . .	v	337.
South Mahratta country, climatology of . . . . .	xii	14.
"    "    "    earlier writers on . . . . .	xii	19.
"    "    "    geology of . . . . .	xii	1.
"    "    "    gneiss of . . . . .	xii	37.
"    "    "    hydrology and orography of . . . . .	xii	13, 4.
"    "    "    table of formations in . . . . .	xii	17.
Speckled sandstone of the Salt Range . . . . .	xiv	90.
<i>Sphyrænodus</i> , allied form, Wardha valley . . . . .	xiii	90.
Spilsbury, Dr., exaggerated account of coal discovered by . . . . .	ii	110.
<i>Spirifer moosakhailensis</i> , a 'Kuling' fossil . . . . .	v	26.
Spiti and Simla sections compared . . . . .	v	141.
"    early writers on the geology of . . . . .	v	2, 65.



SUBJECT.	Volume.	Page.
Spiti carboniferous rocks in . . . . .	v	24.
" general remarks on the ages of rocks in . . . . .	v	132.
" geology of . . . . .	v	1 to 152.
" gypsum and minerals in . . . . .	v	155.
"   " of, origin of . . . . .	v	159.
" Jurassic beds in . . . . .	v	83.
"   "   " upper, in . . . . .	v	113.
" Karewah deposits of . . . . .	v	119.
" Liassic beds in . . . . .	v	66.
" list of minerals from . . . . .	v	162.
" Muth and Bhabeh series conformable in . . . . .	v	23.
" oolitic beds in . . . . .	v	85.
" palæozoic formations of . . . . .	v	16.
" Rhætic beds in ( <i>Megalodon triquetæ</i> ) . . . . .	v	62.
" shales, oolitic . . . . .	v	85.
" Silurian rocks in . . . . .	v	17.
" Triassic rocks   " . . . . .	v	30.
Sreeshalum quartzites (Cuddapahs) . . . . .	viii	41, 126.
Sripermatoor area . . . . .	x	100.
" area, outliers of . . . . .	x	113.
Staurolite and kyanite in gneiss . . . . .	xvi	8, 15.
Steatite and amphibolite, with acicular actinolite . . . . .	iv	321.
"   " fibrous quartz associated . . . . .	x	337.
"   " tremolite in schists . . . . .	ii	137.
" French chalk or 'Bulpum' . . . . .	viii	166.
" from Pegu, analysis of . . . . .	x	339.
" in Manipur . . . . .	xix	219.
"   " Sikkim . . . . .	xi	90.
" magnesite and pistacite . . . . .	iv	325.
" of Tandagoundenpolliam . . . . .	iv	324.
Steatitic mineral in fissures of gneiss in Orissa . . . . .	i	262.
Steps in main boundary ; not cross-faults . . . . .	iii (2)	115.
Stibnite in Lahoul . . . . .	v	165.
Stilbite veins . . . . .	xv	36.
Stream action in cutting through hard ridges, explained . . . . .	xx	133.
Strontium in Nummulitic limestone . . . . .	xi	279.
Stone bangle . . . . .	x	358.
" cart-wheels . . . . .	xvi	105.
" implements . . . . .	x	355.
"   " in laterite . . . . .	x	43, 58.
"   " in Southern India . . . . .	x	10, 41, 43.
Susukameng, rocks near . . . . .	xix	220.
Syenite of Kalinjur hills . . . . .	ix	48.
Sylhet, damage done at, by earthquake of 1869 . . . . .	xix	16.
<i>Sylvine</i> and <i>Kieserite</i> from the Mayo mines . . . . .	xiv	32, 80.
Sub-aerial formations, S. Mahratta . . . . .	xi	244.
Subathu 'coal,' a fault-rock, analysis of . . . . .	iii (2)	29.
" group, bottom bed of . . . . .	iii (2)	78.
"   " description of and area . . . . .	iii (2)	74.
"   " prevalent character of . . . . .	iii (2)	11.
"   " fauna and flora of . . . . .	iii (2)	97.
"   " south of Kashmir . . . . .	iii (2)	89.
"   " sections near . . . . .	iii (2)	83.
Sub-Himalayan series . . . . .	iii (2)	101.
"   " characters of . . . . .	iii (2)	17.

SUBJECT.	Volume.	Page.
Sub-Himalayan series, name proposed . . . . .	iii (2)	10.
Sub-Kymore group . . . . .	ii	5, 138.
"    name proposed . . . . .	ii	303.
Sub-metamorphic rocks in Sirguja . . . . .	xv	138.
"    "    "    Singhbhum . . . . .	xviii	124.
Sub-nummulitic tertiary and alluvial beds of Cutch . . . . .	ix	66.
Sub-recent marine beds, fossils from . . . . .	xx	57, 60, 61, 62, 68.
"    "    "    in Tinnevely . . . . .	xx	55.
Sukkur and Rohri hills . . . . .	xvii	101.
Sulphur localities near the Punjab frontier . . . . .	xx	231.
Sullawai group (Lower Vindhyan) . . . . .	xviii	227, 229.
"    "    unconformable on Cuddapahs . . . . .	xviii	224.
Sulphur, native, from Puga . . . . .	v	162.
"    "    of the Gunjully hills, Kohat . . . . .	xi	293.
Sulphurous springs, Kohat . . . . .	xi	278.
Superficial deposits in Singhbhum . . . . .	xviii	121.
Supra-Pachmari beds . . . . .	x	140.
Surat and Broach, geology of . . . . .	vi	356.
Suroo to the Indus, section of rocks from . . . . .	v	347.
Tádapurtee slates and limestones . . . . .	viii	181.
Takátu hill, wholly eocene . . . . .	xx	122.
Tagling limestone, lower, fauna of . . . . .	v	67, 124.
"    "    upper (middle lias) fauna of . . . . .	v	80.
Talcheer (Talchir) coal-field . . . . .	i	33.
Talchir and Damuda boundary, faulted . . . . .	ii	237.
"    and Nagpur fossils . . . . .	i	76.
"    basin defined . . . . .	i	44.
"    ' boulder bed ' described . . . . .	i	47.
"    "    bed, origin of, considered . . . . .	ix	321.
"    "    large one measured . . . . .	vi	45.
"    "    bed in Ramghur coal-field . . . . .	xv	79.
"    boulders, 40 feet in diameter, in Sirguja . . . . .	i	142.
"    coal and iron of . . . . .	i	1, 85.
"    coal-field, geological structure and relations of . . . . .	i	33.
"    Damoodah and Mahadeva groups (section) . . . . .	i	45.
Talchirs described . . . . .	iii	28, 32.
"    "    and name proposed . . . . .	ii	307, 310.
"    flora of . . . . .	ii	335.
"    glaciated boulders in, first announcement of . . . . .	ix	324.
"    glacial origin of, proved . . . . .	xiii	16.
" <i>glossopteris</i> and <i>cyclopteris</i> , in the . . . . .	vii	296, 331.
"    in Chopé coal-field . . . . .	viii	351.
"    in Daltonganj coal-field . . . . .	viii	331.
"    in Hutar coal-field . . . . .	xv	91.
"    in Itkhuri coal-field . . . . .	viii	322.
"    in the Jherria basin . . . . .	v	233.
"    (Khurhurbari field) . . . . .	vii	217.
"    in Nagpur . . . . .	ix	301, 303.
"    in Nurbudda valley . . . . .	ii	146.
"    in Palamow . . . . .	xv	38, 55, 91.
"    in the Pranhita-Godaveri area . . . . .	xviii	238.
"    in the Rajmahal hills . . . . .	xiii	175.
"    in the Sâtpura basin . . . . .	x	163.
"    in Sirguja . . . . .	xv	142.

SUBJECT.	Volume.	Page.
Talchirs in the Wardha valley . . . . .	xiii	15, 94.
" mode of formation of . . . . .	vi	116.
" section of, in Jherria basin . . . . .	v	241.
" series in the Deogurh fields . . . . .	vii	250, 253, 254.
Talcose schists, S. Mahratta . . . . .	xii	54.
Taldanga, section at . . . . .	iii	60.
Talikot limestones (upper Bhima age) . . . . .	xii	149.
Tambraparni delta, advance of . . . . .	xx	80.
Tangkul Hungdung, red slates near . . . . .	xix	221.
Tanjore, megalithic slab at . . . . .	iv	367.
" Cuddalore sandstones at . . . . .	iv	167.
Tanks neglected . . . . .	xviii	162.
Tapassi, 22 feet coal seam at . . . . .	iii	82.
Tapir not certainly known from Ava beds . . . . .	x	256.
Taptee and Nurbudda, early observers on geology of . . . . .	vi	166.
" " Lower Nurbudda valleys, Geology of . . . . .	vi	163.
Taptee river, Tertiary fossils from, and section . . . . .	vi	369.
Tara sandstone of Carter . . . . .	vii	11.
Tatapani coal-field . . . . .	xv	126.
" " sections in . . . . .	xv	155 to 192.
Tawa river, section of coal measures on . . . . .	ii	154.
'Tchornozem' similar to Regur . . . . .	vi	236.
Teinandamullays described . . . . .	iv	236.
Teri, the Tinnevelly name for a sand hill . . . . .	xx	88.
Terraces in Tiki valley, Manipur . . . . .	xix	234.
" " Thobaball Turel valley . . . . .	xix	236.
Tertiaries in the Suleman range, thickness of . . . . .	xx	218.
" and alluvial deposits, Narbudda valley . . . . .	ii	279.
Tertiary and Jurassic beds, section of, in Wagur . . . . .	ix	123.
" bed, rolled nummulitic limestone in . . . . .	xi	170.
" beds, lower, of Cutch . . . . .	ix	74.
" beds, upper, of Cutch . . . . .	ix	80.
" rocks, absent, east of the Jaldoka, Western Duars . . . . .	xi	48.
" sandstones and clays in Kohat . . . . .	xi	165.
" " " of the Salt Range . . . . .	xiv	108.
" " transitional, with limestone . . . . .	xvii	234.
" sections of, in Cutch . . . . .	ix	71.
" series in Sikkim . . . . .	xi	45.
" upper, beds of Manipur . . . . .	xix	225.
" " fossils found in, at Yemi . . . . .	xix	227.
" of Naga hills . . . . .	xix	227.
<i>Tetragonolepis</i> . . . . .	xviii	276.
<i>Thalassina scorpionoides</i> , mangrove crab . . . . .	x	228.
Thermal springs of India . . . . .	xix	99, 156.
Tib section, its importance. (also; for ultimate fate see Records, Geol. Survey of India, vol. xiv, p. 173) . . . . .	iii (2)	111.
Tib, unconformable junction of Nahun and Sewalik beds at . . . . .	iii (2)	108.
Tilla mount, Salt Range . . . . .	xiv	38.
" bridge . . . . .	xiv	124.
Tiki valley, rocks of . . . . .	xix	234.
" " sub-recent deposits of . . . . .	xix	233.
Tinnevelly, geology of . . . . .	xx	1.
" metamorphic area of . . . . .	xx	22.
Tipám group . . . . .	xii	296.
" " probably of Triassic age . . . . .	xix	224.

SUBJECT.	Volume.	Page.
Tirhwan limestone and breccia . . . . .	ii	13.
"    "    outlier . . . . .	ii	31.
Tiri Tauii, geology of western watershed of basin of	xi	156.
Tirtamullay group of magnetite beds . . . . .	iv	280, 28
Tirumangalam group . . . . .	xx	11.
"    section at . . . . .	iv	172.
Ton-doung, or lime hill . . . . .	x	295.
Tons river, Rewah sandstone on . . . . .	ii	54.
Toorun Mul hill . . . . .	vi	345.
Tors, granitic in Trichinopoly . . . . .	iv	302.
Trachyte and trachy-dolorite, W. India . . . . .	vi	221.
"    near Bassein (Pegu) . . . . .	x	330.
Trachytic porphyry of the Rajmahal hills . . . . .	xiii	220.
Tranquebar, destruction of beach at . . . . .	iv	362.
Trans-Indus disturbance, age of . . . . .	xvii	228.
"    economic geology . . . . .	xvii	302.
"    extension of the Salt range . . . . .	xvii	211.
"    geology, early writers on . . . . .	xvii	212.
"    geology, table of formations . . . . .	xvii	235.
"    geology of . . . . .	xvii	232.
"    hills . . . . .	xiv	272.
"    Salt range in the Kohat district . . . . .	xi	105.
"    "    table of formations of . . . . .	xvii	235.
Trap and granite junction near Mandlaisur . . . . .	vi	290.
"    intertrappeans in Nagpur . . . . .	ix	301, 318.
"    area in Western India, extent of . . . . .	vi	141.
"    as a building stone . . . . .	vi	379.
"    columnar, near Goojree . . . . .	vi	292.
"    dykes, absence of, in sedimentary rocks in Cuttack . . . . .	i	37.
"    dykes and intrusions in Raniganj field . . . . .	iii	141.
"    dyke containing fused granite fragments . . . . .	vi	345.
"    dykes in Kurhurbari field . . . . .	vii	239.
"    "    Trichinopoly, rarity of . . . . .	iv	304.
"    flows, dip of, in Rajpipla area . . . . .	vi	353.
"    "    with vertical tubes . . . . .	ix	199.
"    in Nagpur . . . . .	ix	315.
"    in red marl . . . . .	xiv	75, 161.
"    intrusive, of Cutch . . . . .	ix	64.
"    "    in Nellore . . . . .	xvi	154.
"    "    in the Nilghiris . . . . .	i	225.
"    in Wardha valley . . . . .	xiii	91.
"    junction with Damuda sandstones, character of . . . . .	ii	193.
"    minerals most commonly met with in . . . . .	vi	141.
"    of Cossyah hills pre-cretaceous . . . . .	iv	417.
"    "    Rajamundry identical with Deccan rock . . . . .	vi	139.
"    "    Western and Central India . . . . .	vi	137.
"    "    Western India, area of . . . . .	vi	138.
"    rocks in Nellore . . . . .	xvi	165.
"    "    Sirguja . . . . .	xv	151.
"    "    lithology of Narbudda . . . . .	ii	219.
"    "    of the Rajmahal hills . . . . .	xiii	215.
"    "    of Trichinopoly . . . . .	iv	328.
"    "    porphyritic basalt in . . . . .	vi	142.
"    "    red bole in, probable origin of . . . . .	vi	143.
Trap rocks, volcanic ash beds . . . . .	vi	142.





SUBJECT.	Volume.	Page.
Valudayur and Arrialur groups in Pondicherry . . . . .	iv	151.
Vandyked limestone . . . . .	xii	126.
Vein quartz with columnar structure . . . . .	xii	287.
Veligonda range . . . . .	xvi	116.
Vellum, amethysts and cairngorms from . . . . .	iv	167.
„ stones . . . . .	iv	258, 370.
Vemávarum beds, list of fossils from . . . . .	xvi	66.
„ shales, conflicting views of age of . . . . .	xvi	84.
<i>Venus</i> from Naga Hills . . . . .	xix	228.
Verdachellum and Pondicherry areas . . . . .	iv	144.
„ beds separated by Professor Forbes . . . . .	iv	9.
Vicary, Captain, on geology of Sind . . . . .	xvii	5.
Vindhyan area, faults in, less extensive than once thought . . . . .	vii	75.
„ bottom beds, capricious in development . . . . .	vii	31.
„ conglomerates . . . . .	vii	31, 55.
„ escarpments . . . . .	vii	14, 18.
„ fault, Great Northern, traced 130 miles . . . . .	vii	75.
„ formation . . . . .	ii	52.
„ fossils so called in . . . . .	vii	102.
„ (Franklin's) fossils . . . . .	ii	53.
„ group, name proposed . . . . .	ii	305.
„ identical with 'Semri' group . . . . .	vii	44.
„ in Bundelcund . . . . .	ii	1.
„ „ the Wardha valley . . . . .	xiii	11, 94.
„ ledges, a feature of this formation . . . . .	ii	61.
„ lower, sub-divisions of . . . . .	vii	28—29.
„ lowest limestone, thickness and development of . . . . .	vii	33.
„ middle limestone, remarkable character of . . . . .	vii	39.
„ name proposed by Dr. Oldham . . . . .	vii	11.
„ north-west extension . . . . .	ii	60.
„ or Rotasgarh limestone, character and thickness of . . . . .	vii	41—42.
„ outlying areas of . . . . .	vii	123.
„ porcellanic and trappoid beds . . . . .	vii	35.
„ remarks on, as a whole . . . . .	vii	101.
„ series . . . . .	ii	141.
„ „ in North-Western and Central Provinces . . . . .	vii	1.
„ „ no fossils in . . . . .	ii	145.
„ „ previous writers on the . . . . .	vii	2.
„ stratigraphy and section . . . . .	vii	61—62.
„ sub-divisions of . . . . .	ii	56.
„ upper and lower, conformable . . . . .	vii	46.
„ „ described . . . . .	vii	48.
„ „ sub-divisions of . . . . .	vii	27.
Vindhyan and Bijawars, relation between . . . . .	vi	206.
„ „ Gwaliors unconformable . . . . .	vii	57.
„ age of . . . . .	ii	65.
Vittrooe hill, in Wagur, section of . . . . .	ix	125.
Volcanic beds of Manipur . . . . .	xix	219.
Wagur, East Cutch, detailed geology of . . . . .	ix	119.
Wangtu bridge on the Sutlej to Sungdo on the Indus, sections across the Himalayas, from . . . . .	v	1.
Wardha valley and Nizam's dominions, borings in the . . . . .	xiii	116.
„ coal-field . . . . .	xiii	1.
„ „ previous writers on . . . . .	xiii	1—3.
„ economic resources of . . . . .	xiii	97.

Субъект.	Volume.	Page.
Wardha valley, fossils near Buttoda in . . . . .	vi	285.
„ geological formations in the . . . . .	xiii	8.
„ „ literature of . . . . .	xiii	140.
„ relationship of rock groups in the . . . . .	xiii	94.
Western and Central India, physiography of . . . . .	vi	183.
„ „ Traps and Inter-trappean beds of . . . . .	vi	107.
„ „ Gháts and Konkan, different types of denudation . . . . .	xii	12.
Western India, alluvium of, fluviatile . . . . .	vi	229.
„ cretaceous series in . . . . .	vi	207.
„ list of formations in . . . . .	vi	189.
„ metamorphic series of . . . . .	vi	190.
„ salt in alluvium of Berar . . . . .	vi	229.
„ tertiary beds of . . . . .	vi	223.
„ Vindhyan series in . . . . .	vi	205.
Western Sind, geology of . . . . .	xvii	1.
Western Thibet, geology of . . . . .	v	337.
White-ants' nests abundant in Tinnevely . . . . .	xx	85.
White Elephant rock, dangers of climbing . . . . .	iv	339.
Williams, D. H., report on Raniganj coal-field . . . . .	iii	8.
„ reports of, quoted from . . . . .	i	78.
Wun district, Barakars and borings in . . . . .	xiii	38.
Yanadis, a jungle race . . . . .	xvi	112.
Yemí, fossils found at . . . . .	xix	219.
Zamia beds in Cutch associated with marine fossils . . . . .	vi	18.
„ „ intercalated with marine beds . . . . .	vi	27.
Zanskar, geology of . . . . .	v	337.
Zinc-blende in Lahoul . . . . .	v	166.
Zircon in K hasi hills . . . . .	i	111.
„ in Cuttack . . . . .	i	37.
Zoull v alley . . . . .	xix	229.
Zumha valle y, sub-recent deposits of the . . . . .	xix	230.














SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01311 6009

SIPA